

# MSATS PROCEDURES

PROCEDURE FOR THE MANAGEMENT OF WHOLESALE, INTERCONNECTOR, GENERATOR AND SAMPLE (WIGS) NMIS

PREPARED BY:

AEMO MARKETS

VERSION:

MSDR <del>Customer Switching</del>

STATUS:

**DRAFT**FINAL

This version of the MSATS <u>ProceduesProcedures</u> is not yet effective. AEMO will provide participants with at least 8 months' notice prior to the effective date.

Approved for distribution and use by:

APPROVED BY:

PETER GEERS

TITLE:

CHIEF STRATEGY AND MARKETS OFFICER

DATE:

TBC31 March 2020



# **VERSION RELEASE HISTORY**

This version of the MSATS <u>ProceduesProcedures</u> is not yet effective. AEMO will provide participants with at least 8 months' notice prior to the effective date.



# CONTENTS

1.	INTRODUCTION	5
1.1.	Purpose and Scope	5
1.2.	Definitions and Interpretation	5
1.3.	Commencement of Changes	5
1.4.	Related documents	5
2.	CHANGE RETAILER - CHANGE REQUESTS	7
2.1.	Change Retailer	7
2.2.	Error Corrections	9
3.	PROVIDE DATA – CHANGE REQUEST	11
3.1.	Provide Actual Change Date	11
4.	CREATE NMI - CHANGE REQUESTS	13
4.1.	Create NMI	13
4.2.	Create Child NMI	16
4.3.	Create NMI, Metering Installation Details and NMI Datastream	19
5.	PROFILE SHAPES AND MAINTAIN METERING – CHANGE REQUESTS	23
5.1.	Create and Change External Profile Shape	23
5.2.	Create Metering Installation Details	26
5.3.	Exchange of Metering Information	29
5.4.	Change Metering Installation Details	32
5.5.	Change Network Tariff Code	35
6.	CREATE AND MAINTAIN DATASTREAM – CHANGE REQUESTS	37
6.1.	Create NMI Datastream	37
6.2.	Exchange of Datastream information	39
6.3.	Change NMI Datastream	41
7.	MAINTAIN NMI – CHANGE REQUESTS	43
7.1.	Backdate a NMI	43
7.2.	Change a NMI	47
7.3.	Change NMI Embedded Network (child)	49
7.4.	Change Parent Name	51
8.	CHANGE ROLE – CHANGE REQUESTS	53
8.1.	Change LNSP	53
8.2.	Change MDP	56
8.3.	Change MC	59
8.4.	Change LR	61
8.5.	Change LR – Child NMI	63
8.6.	Change ROLR	65
8.7.	Change MPB OR MPC or Both	67

### **MSATS PROCEDURES**



9.	AEMO ONLY CHANGE REQUESTS	69
9.1.	AEMO-Initiated Standing Data Updates	69
9.2.	CHANGE ROLE, TNI OR DLF – Bulk Change Tool (BCT)	72
10.	AUTO CHANGE ROLE – CHANGE REQUESTS	75
		. •
10.1.	Change Local Retailer Embedded Network Child	75



### 1. INTRODUCTION

# 1.1. Purpose and Scope

These are the MSATS Procedures – WIGS Procedure Principles and Obligations made under clause 7.16.2 of the National Electricity Rules (NER) (Rules).

These Procedures have effect only for the purposes set out in the NER. The NER and the *National Electricity Law* prevail over these Procedures to the extent of any inconsistency.

# 1.2. Definitions and Interpretation

The Retail Electricity Market Procedures – Glossary and Framework:

- (a) is incorporated into and forms part of these Procedures; and
- (b) should be read with these Procedures.

# 1.3. Commencement of Changes

Changes to these Procedures will take effect at 00:00 hours *Eastern Standard Time* on the day of effect after notice has been given to Participants of the changes.

### 1.4. Related documents

Title	Location
Allocation of Embedded Network Codes	https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/market-operations/retail-and-metering/accreditation-and-registration
CATS Hints and Tips	https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/market-operations/retail-and-metering/market-settlement-and-transfer-solutions-msats
CATS Procedures	https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/market-operations/retail-and-metering/market-settlement-and-transfer-solutions-msats
Guide to MSATS B2B	https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/market-operations/retail-and-metering/market-settlement-and-transfer-solutions-msats
Guide to MSATS Web portal	https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/market-operations/retail-and-metering/market-settlement-and-transfer-solutions-msats
Introduction to MSATS	https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/market-operations/retail-and-metering/market-settlement-and-transfer-solutions-msats
MDM Procedures	https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/market-operations/retail-and-metering/market-settlement-and-transfer-solutions-msats
Metrology Procedure: Part A	https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/market-operations/retail-and-metering/metrology-procedures-and-unmetered-loads
Metrology Procedure: Part B	https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/market-operations/retail-and-metering/metrology-procedures-and-unmetered-loads
NMI Procedures	https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/market-operations/retail-and-metering/market-settlement-and-transfer-solutions-msats



Title	Location
Retail Electricity Market Procedures  – Glossary and Framework	https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/market-operations/retail-and-metering/metering-procedures-guidelines-and-processes
Service Level Procedure (MDP)	https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/market-operations/retail-and-metering
Standing Data for MSATS	https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/market-operations/retail-and-metering/metering-procedures-guidelines-and-processes



### 2. CHANGE RETAILER - CHANGE REQUESTS

# 2.1. Change Retailer

### 2.1.1. Application [1000]

Change Reason Code	Description
1000 – Change FRMP	<ul> <li>The date of transfer is on a:</li> <li>Prospective Day – a date as nominated by the new FRMP for a Meter Reading, a substituted reading or a Special Read, as defined by the Read Type Code.</li> <li>Retrospecive Day – a date as nominated by the new FRMP. The Metering Data Type must be Remotely Read.</li> </ul>

### 2.1.2. Conditions Precedent

- (a) The NMI already exists in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR, or SAMPLE.
- (c) A change of retailer role can only be initiated by a New FRMP.

### 2.1.3. FRMP Requirements

The New FRMP:

- (a) Must confirm that the NMI is a valid NMI for the connection point.
- (b) Must provide the following information within the Change Request:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Read Type Code
(c) May nonulate the Change	Request with the identity of the f	ollowing Roles

(c) May populate the Change Request with the identity of the following Roles:

RP

(d) May withdraw a change of FRMP transaction request at any time until the transfer is completed in MSATS.

### 2.1.4. MDP Requirements

The MDP must:

(a) Once the transfer has completed, set up the *NMI* suffix(s) so that they become active on the Actual Change Date if this data is not already provided or has changed.

### 2.1.5. MC Requirements

The MC must ensure MDP, MPC and MPB roles are correct and if not raise appropriate Change Request relating to Role Changes.

### 2.1.6. Timeframe Rules

When preparing a Change Request, the New FRMP must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 2-A – Timeframe Rules



### Table 2-A – Timeframe Rules

CR 1000 - Change Retailer

Objection Logging Period	Objection Clearing Period	Retrospective Period	Prospective Period
(business days)	(business days)	(business days)	(business days)
0	0	10	65

# 2.1.7. Objection Rules

Objections are not permitted.

# 2.1.8. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 2-B

# Table 2-B – Change Request Status Notification Rules\*\*

CR 1000 – Change Retailer

Status	FRMP		LR		LNSP		MDP		MPB		RoLR		NSP2		RP	
Change	N	С	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	Yes	-	-	-	-	Yes	-	Yes	-	-	-	-	-	-	Yes	-
COMPLETED	Yes	Yes	-	-	-	Yes	-	Yes	-	Yes	-	-	-	Yes	Yes	Yes
OBJECTED	Yes	-	-	-	-	Yes	-	Yes	-	-	-	-	-	-	Yes	-
PENDING	Yes	-	-	-	-	Yes	-	Yes	-	-	-	-	-	-	Yes	
REJECTED	Yes	-	-	-	-	Yes	-	Yes	-	-	-	-	-	-	Yes	-
REQUESTED	Yes	-	-	-	-	Yes	-	Yes	-	-	-	-	-	-	Yes	-

<sup>\*\*</sup> N = New Role, C = Current Role.



### 2.2. Error Corrections

### 2.2.1. Application [1020]

Change Reason Code	Description
1020 – Change FRMP – Retrospective – Long	The date of transfer could be a date agreed by the Current FRMP and New FRMP (a Retrospective Change) where the actual transfer date was in error.
Term/Error	In addition, and for Victoria only, the date of transfer could be a date agreed by the Current and New FRMP (a Retrospective Change) to which both parties agree that the transfer should have been effected.

### 2.2.2. Conditions Precedent

- (a) The NMI already exists in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR, or SAMPLE.
- (c) A change of retailer role can only be initiated by a New FRMP.

### 2.2.3. FRMP Requirements

The New FRMP:

- (a) Must confirm that the *NMI* is a valid *NMI* for the *connection point*.
- (b) Must provide the the following information within the Change Request:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Read Type Code

(c) May populate the Change Request with the identity of the following Roles:

RP

(d) May for Change Reason Code 1020, populate the Change Request with:

Actual End Date

(e) May withdraw a change of FRMP transaction request at any time until the transfer is completed in MSATS.

### 2.2.4. MDP Requirements

The MDP must:

(a) Once the transfer has completed, set up the *NMI* suffix(s) so that they become active on the Actual Change Date if this data is not already provided or has changed;

### 2.2.5. MC Requirements

The MC must ensure MDP, MPC and MPB roles are correct and if not raise appropriate Change Request relating to Role Changes.

### 2.2.6. Timeframe Rules

When preparing a Change Request, the New FRMP must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 2-C – Timeframe Rules



# <u>Table 2-C – Timeframe Rules</u>

.



### Table 2-C – Timeframe Rules

CR 1020 - Change Retailer-Retrospective - Long Term/Error

Objection Logging Period	Objection Clearing Period	Retrospective Period	Prospective Period
(business days)	(business days)	(business days)	(business days)
1	20	130	0

# 2.2.7. Objection Rules

The Objection Rules are specified in <u>Table 2-D</u>Table 2-D within the Objection Logging Period specified in Table 2-C

Table 2-D – Objection Rules\*\*

CR 1020 – Change Retailer – Retrospective - Long Term/Error

Objection	NMI	Jur'n	FRMP		LR		MDP		MPB		ROLR		RP		LNSP	
Code	Class		N	С	Ν	С	N	С	N	С	N	С	N	С	Ν	С
BADMETER	ALL	ALL	-	-	-	-	-	Yes	-	-	-	-		-	-	
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
CONTRACT	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	Yes	-	-
DECLINED	ALL	ALL	-	-	-	-		-	-	-	-	-	Yes	-	-	-
DATEBAD	ALL	ALL	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-
NOTAPRD	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
RETRO	ALL	ALL	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

### 2.2.8. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 2-E

# Table 2-E – Change Request Status Notification Rules\*\*

CR 1020 – Change Retailer – Retrospective – Long Term/Error

Status Change	FRM	Р	LR		LNSF	)	MDP		MPB		RoLR		NSP2	2	RP	
	Ν	С	N	С	N	С	N	С	N	С	Ν	С	Ν	С	Ν	С
CANCELLED	Yes	Yes	-	-	-	Yes	-	Yes	-	-	-	-	-	-	Yes	Yes
COMPLETED	Yes	Yes	-	-	-	Yes	-	Yes	-	Yes	-	-	-	Yes	Yes	Yes
OBJECTED	Yes	Yes	-	-	-	Yes	-	Yes	-	-	-	-	-	-	Yes	Yes
PENDING	Yes	Yes	-	-	-	Yes	-	Yes	-	-	-	-	-	-	Yes	Yes
REJECTED	Yes	Yes	-	-	-	Yes	-	Yes	-	-	-	-	-	-	Yes	Yes
REQUESTED	Yes	Yes	-	-	-	Yes	-	Yes	-	-	-	-	-	-	Yes	Yes

<sup>\*\*</sup> N = New Role, C = Current Role.



### PROVIDE DATA – CHANGE REQUEST

# 3.1. Provide Actual Change Date

### 3.1.1. Application [1500]

Change Reason Code	Comment
1500 – Provide Actual Change	The MDP is required to provide MSATS with the Actual Change Date that
Date	specifies the date on which a related Change Request takes effect in MSATS.

### 3.1.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (a) The FRMP or the MC has initiated a Change Request requiring an Actual Change Date.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.
- (c) The MDP has received a Data Request from MSATS for the provision of the Actual Change Date.

### 3.1.3. Initiating Roles

(d) The MDP may initiate a Change Request to submit an Actual Change Date in accordance with section 3.1.4.

### 3.1.4. MDP Requirements

The MDP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the initiation of a Change Request.
- (c) Provide the Actual Change Date to MSATS within 2 days of reading the *meter* or otherwise prescribed by the relevant Jurisdiction. In the case of a Retrospective Change, it is to be provided within 2 *days* of notification.
- (d) Populate an Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Actual Change Date	Related Change Request ID
MDP		

### 3.1.5. Timeframe Rules

The Timeframe Rules are shown in the Table 3-A. Note that the Timeframe Rules in Table 3-A do not override the MDP obligation in section 3.1.4(c).

# Table 3-A – Timeframe rules

CR 1500 – Provide actual change date

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	20	0



# 3.1.6. Objection Rules

Objections are not permitted.

# 3.1.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 3-B.

# Table 3-B – Change Request Status Notification Rules\*\*

CR 1500 – Provide Actual Change Date

Status	FRI	MP	LR		LNS	SP	MDP		MPE	3	MPG	2	RoL	R	NSP2		RP	
Change	N	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	N	С	Ν	С
CANCELLED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLETED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 4. CREATE NMI - CHANGE REQUESTS

### 4.1. Create NMI

### 4.1.1. Application [2000 2001]

Change Reason Code	Comment
2000 – Create NMI Details	Used where the New LNSP establishes the initial set of information in MSATS about a connection point. The date at which the information will apply would be a Prospective Day.
2001 – Create NMI Details – Retrospective	Used where the New LNSP establishes the initial set of information in MSATS about a connection point. The date at which the information will apply would be a Retrospective Day

### 4.1.2. Conditions Precedent

- (a) The NMI does not exist in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

# 4.1.3. Initiating Roles

A New LNSP may initiate a Change Request to create a NMI record in MSATS in accordance with section 4.1.4.

### 4.1.4. LNSP Requirements

The new LNSP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	Its Participant ID
Proposed Change Date	NMI and NMI Checksum	
NMI Classification Code	TNI Code	DLF Code
LR	Jurisdiction Code	FRMP
MDP	ROLR	RP
NMI Status Code	MPB	MPC
Postcode	Locality	State
Connection Configuration	Shared Isolation Point Flag	

- (d) Nominate itself as the new LNSP.
- (e) Populate the Change Request with values for the following address fields (as applicable):

### **EITHER**

DPID	Flat Number	Flat Type
Floor Number	Floor Type	House Number
House Number Suffix	Location Descriptor	Lot Number



Street Name	Street Suffix	Street Type
<u>GNAF PID</u>	Section Number	<u>DP Number</u>
House Number To		

### <del>OR</del>

Unstructured Address 1	<del>Unstructured Address 2</del>	<del>Unstructured Address 3</del>

The New LNSP may populate the Change Request with the following information:

Building Name
---------------

### 4.1.5. MPB Requirements

The New MPB must on receipt of the Change Request Notification for the Completed status, provide the Metering Installation Type Code to MSATS when known using Change Reason Code 3000 or 3001.

### 4.1.6. Timeframe Rules

The Timeframe Rules are shown in the Table 4-A.

### Table 4-A – Timeframe rules

CR 2000 - Create NMI Details

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65

### CR 2001 - Create NMI Details- Retrospective

Objection Logging Period (business days)	Objection Clearing Period ( <i>business days</i> )	Retrospective Period (business days)	Prospective Period ( <i>business days</i> )
1	20	130	0

### 4.1.7. Objection Rules

The 'Yes' Roles specified in Table 4-B may Object using the Objection Codes indicated against their Roles.

### Table 4-B – Objection Rules\*\*

CR 2000 – Create NMI Details

- ·J · · · ·	Jur'n	FRMP		LR		MDP		МРВ		ROLR		RP		LNSP		
Code	Class		N	С	N	С	N	С	Ν	С	N	С	Ν	С	N	C
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
NOTRESP	ALL	ALL	Yes	-	Yes	-	Yes	-	Yes	-	-	-		-	-	-

### CR 2001 - Create NMI Details - Retrospective

Objection	,	FRMP L		LR	LR		MDP		МРВ		ROLR		RP		LNSP	
Code	Class		Ν	С	Ν	С	Ν	С	Ν	С	N	С	N	С	N	С
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-



,	Jur'n	FRMP		LR		MDP		МРВ		ROLR		RP		LNSP		
Code	Code Class	N	С	N	С	Ν	С	N	С	N	С	N	С	Ν	С	
NOTRESP	ALL	ALL	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	-	-
RETRO	ALL	ALL	Yes	-	Yes	-	-	-		-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

# 4.1.8. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in <u>Table 4-C\_Table 4-C</u>.

# Table 4-C – Change Request Status Notification Rules\*\*

CR 2000 - Create NMI Details

CR 2001 – Create NMI Details - Retrospective

Status Change	FRMI	FRMP		LR		LNSP		MDP		МРВ		RoLR		RP	
	N	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	N	С	
CANCELLED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	
COMPLETED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	
OBJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	
PENDING	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	
REJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	
REQUESTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	

<sup>\*\*</sup> N = New Role, C = Current Role.



### 4.2. Create Child NMI

# 4.2.1. Application [2020 2021]

Change Reason Code	Comment
2020 – Create NMI Details - Child	Used where the ENM establishes the initial set of information in MSATS about a <i>connection point</i> that is, or will be, connected to an <i>embedded network</i> . The date at which the information will apply would be a Prospective Day.
2021 – Create NMI Details - Child - Retrospective	Used where the ENM establishes the initial set of information in MSATS about a <i>connection point</i> that is, or will be, connected to an <i>embedded network</i> . The date at which the information will apply would be a Retrospective Day.

# 4.2.2. Conditions Precedent

- (a) The NMI does not exist in MSATS.
- (b) The NMI Classification Code is GENERATR or WHOLESAL.

### 4.2.3. Initiating Roles

- (a) An ENM who has been given the LNSP Role in MSATS may Initiate a Change Request to create a NMI record.
- (b) An ENM may Initiate a Change Request to create a NMI record in MSATS in accordance with section 4.2.4.

### 4.2.4. ENM Requirements

The ENM must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to initiating a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	TNI Code
DLF Code	NMI Classification Code	Jurisdiction Code
Child Name	FRMP (as nominated)	LR
ROLR	RP	MDP
MPB	MPC	NMI Status Code
Locality	State	Postcode
Connection Configuration	Shared Isolation Point Flag	

- (d) Nominate itself as the new LNSP
- (e) Populate the Change Request with values for the following address fields (as appropriate):

### **EITHER**

DPID	Flat Number	Flat Type
Floor Number	Floor Type	House Number
House Number Suffix	Location Descriptor	Lot Number



Street Name	Street Suffix	Street Type
<u>GNAF PID</u>	Section Number	<u>DP Number</u>
House Number To		

OR

Unstructured Address 1 Unst	<del>uctured Address 2</del>	Unstructured Address 3
-----------------------------	------------------------------	------------------------

The ENM may populate the Change Request with the following information:

Parent Name	Building Name	Feeder Class
i di cite i tallic	Ballaling Harrie	recaci class

### 4.2.5. MPB Requirements

The New MPB must, on receipt of the Change Request Notification for the Completed status, provide the Metering Installation Type Code to MSATS using Change Reason Code 3000 or 3001.

### 4.2.6. Timeframe Rules

The Timeframe Rules are shown in the Table 4-D.

### Table 4-D – Timeframe Rules

CR 2020 - Create NMI Details - Child

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65

CR 2021 – Create NMI Details - Child - Retrospective

Objection Logging Period	Objection Clearing Period	Retrospective Period	Prospective Period
(business days)	(business days)	(business days)	(business days)
1	20	130	0

# 4.2.7. Objection Rules

The 'Yes' Roles specified in Table 4-E may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 4-D.

# Table 4-E – Objection Rules\*\*

CR 2020 - Create NMI Details - Child

Objection	NMI Class	Jur'n	FRM	IP	LR		MDI	)	MPE	3	ROLR		RP		LNSP	
Code			N	С	Ν	С	Ν	С	Ν	С	N	С	Ν	С	N	С
BADPARTY	GENERATR	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
NOTRESP	GENERATR	ALL	Yes	-	-	-	Yes	-	Yes	-	-	-	Yes	-	Yes	-

CR 2021 – Create NMI Details - Child - Retrospective

Objection	NMI Class	Jur'n	FRM	Р	LR		MDF	)	MPB		ROL	R	RP		LNSP	
Code			N	С	Ν	C	N	С	Ν	С	Ν	С	Ν	С	Ν	С
BADPARTY	GENERATR	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
NOTRESP	GENERATR	ALL	Yes	-	-	-	Yes	-	Yes	-	-	-	Yes	-	Yes	-
RETRO	GENERATR	ALL	Yes	-	-	-	-	-	-	-	-	-	-	-	-	-



\*\* N = New Role, C = Current Role.

# 4.2.8. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 4-F.

# Table 4-F – Change Request Status Notification Rules\*\*

CR 2020 - Create NMI Details - Child

CR 2021 - Create NMI Details - Child - Retrospective

Status	FRMI	Р	LR		ENM		MDP		МРВ		MPC		RoLR		RP	
Change	N	С	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
COMPLETED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
OBJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
PENDING	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
REJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
REQUESTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 4.3. Create NMI, Metering Installation Details and NMI Datastream

# 4.3.1. Application [2500 2501]

Change Reason Code	Comment
2500 – Create NMI, Datastream & Metering Details	Used where the New LNSP is able to provide the Datastream and <i>metering installation</i> details at the same time it establishes the initial set of information in MSATS about a <i>connection point</i> . The date at which the information will apply would be a Prospective Day.
2501 – Create NMI, Datastream & Metering Details - Retrospective	Used where the New LNSP is able to provide the Datastream and metering installation details at the same time it establishes the initial set of information in MSATS about a connection point. The date at which the information will apply would be a Retrospective Day.

### 4.3.2. Conditions Precedent

- (a) The NMI does not exist in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

# 4.3.3. Initiating Roles

The New LNSP may Initiate a Change Request to create a NMI, metering installation details and NMI Datastream in MSATS in accordance with section 4.3.4.

### 4.3.4. LNSP Requirements

The New LNSP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	TNI Code
DLF code	NMI Classification Code	Jurisdiction Code
FRMP	LR	ROLR
RP	MDP	MPB
MPC	NMI Status Code	Locality
State	Postcode	Connection Configuration Meter Serial ID (at least one)
Shared Isolation Point Flag	Meter Serial ID (at least one)	
Metering Installation Type Code (for each meter)	Meter Register Status Code (for each meter)	Register ID (at least one for each meter)
Register Identifier Status Code (for each register)	Network Tariff Code (for each register)	Actual/Cumulative Indicator (for each register)
Controlled Load Indicator (for each register)	Dial Format (for each register)	Multiplier Value (for each register)



Time Of Day Code (for each register)	Unit Of Measure Code (for each register)	NMI Suffix (at least one)
Datastream Type (for each suffix)	Profile Name (for each suffix)	ADL (for each suffix)
Datastream Status Code (for each suffix)	MDM Contributory Suffix (for each register)	Meter Manufacturer
Meter Model	GPS Coordinates - Latitude	GPS Coordinates - Longitude

- (d) Nominate itself as the new LNSP.
- (e) Provide the ADL if this value is not otherwise provided by the New FRMP.
- (f) Populate the Change Request with values for the following address fields (as applicable):

# **EITHER**

DPID	Flat Number	Flat Type
Floor Number	Floor Type	House Number
House Number Suffix	Location Descriptor	Lot Number
Street Name	Street Suffix	Street Type
GNAF PID	Section Number	DP Number
House Number To		

### OR

The New LNSP may:

(g) Populate the Change Request with the following information:

Parent Name Building Name

(h) Populate the Change Request with the following information for each *meter*:

Additional Site Information	Next Scheduled Read Date	Meter Location
Meter Hazard	Meter Route	Meter Use
Meter Point	Meter Manufacturer	Meter Model
Transformer Location	Transformer Type	Transformer Ratio
Meter Constant	Last Test Date	Next Test Date
Test Result Accuracy Test Result	Test Result Notes	Test Performed By
Measurement Type	Meter Program	Meter Read Type
Remote Phone Number	Communication Equipment Type	Communication Protocol
Data Conversion Arrangements	Data Validation Arrangements	Estimation Instructions
Asset Management Plan Details	Calibration Tables (details of any calibration factors programmed into the meter)	Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)
Test And Calibration Program Details	User Access Rights Details (i.e. details of any End-User access to the metering installation such as pulse outputs)	Current Transformer Location



Current Transformer Type	Current Transformer Ratio	Current Transformer Accuracy Class
Current Transformer Test	Current Transformer Sample Family ID	Current Transformer Test Date
Voltage Transformer Location	<u>Voltage Transformer Type</u>	Voltage Transformer Ratio
Voltage Transformer Accuracy Class	Voltage Transformer Test	<del>Voltage Transformer Sample</del> <del>Family ID</del>

(i) Populate the Change Request with the following information for each register:

Network Tariff Code Additional	Demand Value 1, if the Network	Demand Value 2, if the Network
Information	Tariff includes a demand	Tariff includes a second demand
	component	component

### 4.3.5. Timeframe Rules

The Timeframe Rules are shown in the Table 4-G.

#### Table 4-G - Timeframe Rules

CR 2500 - Create NMI, Datastream & Metering Details

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65

CR 2501 – Create NMI, Datastream + Metering Details – Retrospective

Objection Logging Period	Objection Clearing Period	Retrospective Period	Prospective Period		
(business days)	(business days)	(business days)	(business days)		
1	20	130	0		

# 4.3.6. Objection Rules

The 'Yes' Roles specified in Table 4-H may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 4-G.

# Table 4-H – Objection Rules\*\*

CR 2500 - Create NMI, Datastream & Meter Details

Objection NMI		FRMP LR		MD	Р	МРВ		ROLR		RP		LNSP				
Code	ode Class		Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С
NOTRESP	ALL	ALL	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	-	-

CR 2501 – Create NMI, Datastream & Meter Details - Retrospective

Objection NMI		Jur'n	FRM	1P	LR		MD	Р	MPE	3	ROL	.R	RP		LNS	Р
Code	Class		Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	N	С
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
NOTRESP	ALL	ALL	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	-	-
RETRO	ALL	ALL	Yes	-	Yes	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

# 4.3.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 4-I. Table 4-I.



# Table 4-I – Change Request Status Notification Rules\*\*

CR 2500 - Create NMI, Datastream & Meter Details

CR 2501 – Create NMI, Datastream & Meter Details - Retrospective

Status	FRM	Р	LR		LNSF	)	MDF	)	MPB		RoLR		NSP2		RP	
Change	N	С	N	С	N	С	Ν	С	Ν	С	N	С	N	С	N	С
CANCELLED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
COMPLETED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
OBJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-		-	-	Yes	-
PENDING	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
REJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
REQUESTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-

<sup>\*\*</sup> N = New Role, C = Current Role.



### 5. PROFILE SHAPES AND MAINTAIN METERING - CHANGE REQUESTS

# 5.1. Create and Change External Profile Shape

# 5.1.1. Application [2100 2101 5110 5111]

Change Reason Code	Comment
2100 – Create External Profile	Used where AEMO is required to provide MSATS with the name of an external <i>profile</i> . The date at which the information will apply would be a Prospective Day.
5110 – Change External Profile	Used where AEMO is required to change details associated with an external <i>profile</i> . The date at which the information will apply would be a Prospective Day.
2101 – Create External Profile - Retrospective	Used where AEMO is required to provide MSATS with a name of an external <i>profile</i> . The date at which the information will apply would be a Retrospective Day.
5111 – Change External Profile – Retrospective	Used where AEMO is required to change details associated with an external <i>profile</i> . The date at which the information will apply would be a Retrospective Day.

### 5.1.2. Conditions Precedent

- (a) For CR 5110 and 5111, the *NMI* already exists in MSATS. For CR 2100 and 2101, the *NMI* does not exist in MSATS.
- (b) The NMI Classification Code is EPROFILE.

### 5.1.3. Initiating Roles

AEMO may Initiate a Change Request to create or change an external *profile* in accordance with section 5.1.4.

### 5.1.4. AEMO Requirements

**AEMO** must:

- (a) Confirm that the *NMI* is a valid *NMI* for the *profile* shape prior to the Initiation of a Change Request.
- (b) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

(c) For Change Reason Code 2100 or 2101, populate the Change Request with the following information:

NMI Status Code	NMI Classification Code	Jurisdiction Code
DLF Code	TNI Code	MDP
FRMP	LR	RP
ROLR	MPB	LNSP
MPC	NMI Suffix	Datastream Type
Profile Name	Datastream Status Code	ADL



TNI Code 2		
Meter Serial ID	Meter Installation Type Code	Meter Register Status Code

(d) For Change Reason Code 2100 or 2101, nominate itself as the new NEMM.

### AEMO may:

(e) For Change Reason Code 5110 or 5111, populate the Change Request with the following information:

NMI Status Code	Jurisdiction Code	FRMP
LR	LNSP	MPB
ROLR	RP	DLF Code
TNI Code	Aggregate Flag	MDP
NMI Suffix	Datastream Type	Profile Name
Datastream Status Code	ADL	Meter Serial ID
Meter Installation Type Code	Meter Register Status Code	

(f) For Change Reason Code 5110 or 5111, nominate itself in the role of NEMM.

### 5.1.5. Timeframe Rules

The Timeframe Rules are specified in Table 5-A.

### Table 5-A – Timeframe Rules

CR 2100 - Create External Profile

CR 5110 – Change External Profile

Objection Logging Period	Objection Clearing Period	Retrospective Period	Prospective Period
(business days)	(business days)	(business days)	(business days)
0	0	0	65

CR 2101 – Create External Profile - Retrospective

CR 5111 - Change External Profile - Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	130	(business days)

# 5.1.6. Objection Rules

Objections are not permitted.

# 5.1.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 5-B



# Table 5-B – Change Request Status Notification Rules\*\*

CR 2100 - Create External Profile

CR 2101 – Create External Profile - Retrospective

PARTICIPANT ROLE & ROLE STATUS – Receives Notification of Change

Status	NEM	М	FRMI	)	LR		LNSF	)	MDP		MPB		ROLF	2	RP	
Change	N	С	N	Υ	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	Yes	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-
COMPLETED	Yes	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-
OBJECTED	Yes	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	Yes	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-
REQUESTED	Yes	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-

CR 5110 – Change External Profile Shape

CR 5111 – Change External Profile Shape - Retrospective

Status	NEM	М	FRMI	)	LR		LNSF	)	MDP		MPB		ROLF	2	RP	
Change	N	С	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	Yes	-	-	-	-	-	-	Yes	Yes	-	-	-	-	-	-
COMPLETED	-	Yes	-	-	-	-	-	-	Yes	Yes	-	-	-	-	-	-
OBJECTED	-	Yes	-	-	-	-	-	-	Yes	Yes	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	Yes	-	-	-	-	-	-	Yes	Yes	-	-	-	-	-	-
REQUESTED	-	Yes	-	-	-	-	-	-	Yes	Yes	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 5.2. Create Metering Installation Details

# 5.2.1. Application [3000 3001]

Change Reason Code	Comment
3000 – Create Metering Installation Details	Used where the Current MPB establishes the initial set of information in MSATS about the <i>metering installation</i> details, and there is no associated <i>meter</i> removal for the NMI for the same effective date. The date at which the information will apply would be a Prospective Day
3001 – Create Metering Installation Details – Retrospective	Used where the Current MPB establishes the initial set of information in MSATS about the <i>metering installation</i> details, and there is no associated meter removal for the NMI for the same effective date. The date at which the information will apply would be a Retrospective Day

### 5.2.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The metering installation details do not exist in MSATS.
- (c) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

### 5.2.3. Initiating Roles

A Current MPB may initiate a Change Request to create *metering installation* records in MSATS in accordance with section 5.2.4.

# 5.2.4. MPB Requirements

The MPB must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the initiation of a Change Request.
- (c) Populate an Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Meter Serial ID (at least one)
Metering Installation Type Code (for each meter)	Meter Register Status Code (for each <i>meter</i> )	Register ID (at least one for each meter)
Register Identifier Status Code (for each register)	Actual/Cumulative Indicator (for each register)	Controlled Load Indicator (for each register)
Dial Format (for each register)	Multiplier Value (for each register)	Time Of Day Code (for each register)
Unit Of Measure Code (for each register)	Network Tariff Code (for each register)	MDM Contributory Suffix (for each register)
GPS Coordinates - Latitude	GPS Coordinates - Longitude	Meter Manufacturer
Meter Model		

The Current MPB may:

(d) Populate the Change Request with the following information for each *meter*:



Additional Site Information	Meter Hazard	Next Scheduled Read Date
Meter Location	Meter Point	Meter Route
Meter Use	Transformer Location	Meter Manufacturer
Meter Model	Meter Constant	Transformer Type
Transformer Ratio	Test Result Accuracy Test Result	Last Test Date
Next Test Date	Measurement Type	Test Result Notes
Test Performed By	Remote Phone Number	Meter Program
Meter Read Type	Data Conversion Arrangements	Communication Equipment Type
Communication Protocol	Asset Management Plan Details	Data Validation Arrangements
Estimation Instructions	Test And Calibration Program Details	Calibration Tables (details of any calibration factors programmed into the meter)
Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)	User Access Rights Details (i.e. details of any End User access to the metering installation such as pulse outputs)	Current Transformer Location
Current Transformer Type	Current Transformer Ratio	Current Transformer Accuracy Class
<u>Current Transformer Test</u>	Current Transformer Sample Family ID	Current Transformer Test Date
Voltage Transformer Location	Voltage Transformer Type	Voltage Transformer Ratio
Voltage Transformer Accuracy Class	Voltage Transformer Test	Voltage Transformer Sample Family ID

Populate the Change Request with the following information for each register: (e)

Network Tariff Code Additional Information	Demand Value 1, if the Network Tariff includes a demand	Demand Value 2, if the Network Tariff includes a second demand						
	component	component						
For Retrospective Changes, populate the Change Request with:								

(f)

|--|

### 5.2.5. Timeframe Rules

The Timeframe Rules are specified in Table 5-C.

# Table 5-C – Timeframe Rules

CR 3000 – Create Meter Details

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 3001 – Create Meter Details - Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0



# 5.2.6. Objection Rules

Objections are not permitted.

# 5.2.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in <u>Table 5-D</u>Table 5-D.

### Table 5-D – Change Request Status Notification Rules\*\*

CR 3000 – Create Meter Details

CR 3001 – Create Meter Details - Retrospective

Status	FRMI	Р	LR		LNSF	)	MDP		MPB		RoLR		NSP2	)	RP	
Change	N	С	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 5.3. Exchange of Metering Information

# 5.3.1. Application [3004 3005]

Change Reason Code	Comment
3004 – Exchange of Metering information	Used where the Current MPB is required to make a Prospective Change to the <i>metering installation</i> details. The change will include the removal of at least one existing <i>meter</i> and the installation of at least one new <i>meter</i> . A minimum set of <i>metering installation</i> details for the <i>NMI</i> shall exist upon Completion of the Change Request.
3005 – Exchange of Metering information – Retrospective	Used where the Current MPB is required to make a Retrospective Change to the <i>metering installation</i> details. The change will include the removal of at least one existing <i>meter</i> and the installation of at least one new <i>meter</i> . A minimum set of <i>metering installation</i> details for the <i>NMI</i> shall exist upon Completion of the Change Request

### 5.3.2. Conditions Precedent

- (a) The NMI exists in MSATS
- (b) The metering installation details exist in MSATS.
- (c) At least one *meter* is removed and one *meter* is created in each Change Request.
- (d) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.
- (e) The Meter Serial ID for the installed *meter* shall be different to the existing Meter Serial ID for the same *NMI*.

### 5.3.3. Initiating Roles

- (a) A Current MPB may initiate a Change Request to change and create *metering installation* records in MSATS in accordance with section 5.3.4.
- (b) A minimum set of *metering installation* details for the *NMI* shall exist upon Completion of the Change Request.

### 5.3.4. MPB Requirements

The Current MPB must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	Its Participant ID
Proposed Change Date	NMI	NMI Checksum
Meter Serial ID (for each meter)		

(d) For all *meters* associated with that *NMI*, where the Meter Register Status Code is to be 'C', populate the Change Request with the following information (where this information does not currently exist in MSATS):

Meter Register Status Code (for	Metering Installation Type Code	Meter Manufacturer
each meter)	(for each meter)	



Meter Model		
-------------	--	--

(e) For all Register IDs associated with that NMI, where the Register Identifier Status Code is to be 'C' populate the Change Request with the following information (where this information does not currently exist in MSATS):

Register ID	Unit Of Measure Code (for each register)	Multiplier Value (for each register)
Time Of Day Code (for each register)	Dial Format (for each register)	Register Identifier Status Code (for each register)
Controlled Load Indicator (for each register)	Actual/Cumulative Indicator (for each register)	Network Tariff Code (for each register)
MDM Contributory Suffix (for each register)		

The Current MPB may:

(f) Populate the Change Request with the following information for each *meter*:

Meter HazardMeter RouteMeter UseMeter PointMeter ManufacturerMeter ModelTransformer LocationTransformer TypeTransformer RatioMeter ConstantLast Test DateNext Test DateTest Result AccuracyTest ResultTest Result NotesTest Performed ByMeasurement TypeMeter ProgramMeter Read TypeRemote Phone NumberCommunication Equipment TypeCommunication ProtocolData Conversion ArrangementsValidation ArrangementsEstimation InstructionsAsset Management Plan DetailsCalibration Tables (details of any calibration factors programmed into the meter)Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)Test And Calibration Program DetailsUser Access Rights Details (i.e. details of any End-User access to the metering installation such as pulse outputs)Network Tariff Code Additional InformationDemand Value 1, if the Network Tariff includes a demandDemand Value 2, if the Network Tariff includes a second demandCurrent Transformer Location		Next Scheduled Read Date	Meter Location
Transformer Location  Meter Constant  Last Test Date  Test Result AccuracyTest Result  Measurement Type  Remote Phone Number  Data Conversion Arrangements  Asset Management Plan Details  Test And Calibration Program  Details  Test And Calibration Program  Details  Demand Value 1, if the Network Tariff includes a demand  Test Result Notes  Next Test Date  Test Performed By  Meter Read Type  Communication Protocol  Estimation Instructions  Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)  Network Tariff Code Additional Information  Current Transformer Location	Meter Hazard	Meter Route	Meter Use
Meter ConstantLast Test DateNext Test DateTest Result AccuracyTest ResultTest Result NotesTest Performed ByMeasurement TypeMeter ProgramMeter Read TypeRemote Phone NumberCommunication Equipment TypeCommunication ProtocolData Conversion ArrangementsValidation ArrangementsEstimation InstructionsAsset Management Plan DetailsCalibration Tables (details of any calibration factors programmed into the meter)Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)Test And Calibration Program DetailsUser Access Rights Details (i.e. details of any End-User access to the metering installation such as pulse outputs)Network Tariff Code Additional InformationDemand Value 1, if the Network Tariff includes a demandDemand Value 2, if the Network Tariff includes a second demandCurrent Transformer Location	Meter Point	Meter Manufacturer	Meter Model
Test Result Accuracy Test Result  Measurement Type  Remote Phone Number  Data Conversion Arrangements  Asset Management Plan Details  Calibration Tables (details of any calibration factors programmed into the meter)  Test And Calibration Program  Details  User Access Rights Details (i.e. details (i.e. details of any End-User access to the metering installation such as pulse outputs)  Demand Value 1, if the Network Tariff includes a second demand  Test Performed By  Meter Read Type  Communication Protocol  Estimation Instructions  Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)  Network Tariff Code Additional Information  Current Transformer Location	Transformer Location	Transformer Type	Transformer Ratio
Measurement TypeMeter ProgramMeter Read TypeRemote Phone NumberCommunication Equipment TypeCommunication ProtocolData Conversion ArrangementsValidation ArrangementsEstimation InstructionsAsset Management Plan DetailsCalibration Tables (details of any calibration factors programmed into the meter)Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)Test And Calibration Program DetailsUser Access Rights Details (i.e. details of any End-User access to the metering installation such as pulse outputs)Network Tariff Code Additional InformationDemand Value 1, if the Network Tariff includes a demandDemand Value 2, if the Network Tariff includes a second demandCurrent Transformer Location	Meter Constant	Last Test Date	Next Test Date
Remote Phone Number  Data Conversion Arrangements  Asset Management Plan Details  Calibration Tables (details of any calibration factors programmed into the meter)  Test And Calibration Program  Details  User Access Rights Details (i.e. details (i.e. details of any End-User access to the metering installation such as pulse outputs)  Demand Value 1, if the Network Tariff includes a demand  Communication Protocol  Estimation Instructions  Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)  Network Tariff Code Additional Information  Current Transformer Location  Current Transformer Location	Test Result Accuracy Test Result	<del>Test Result Notes</del>	<del>Test Performed By</del>
Data Conversion Arrangements  Asset Management Plan Details  Calibration Tables (details of any calibration factors programmed into the meter)  Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)  Test And Calibration Program Details  User Access Rights Details (i.e. details of any End-User access to the metering installation such as pulse outputs)  Demand Value 1, if the Network Tariff includes a second demand  Current Transformer Location	Measurement Type	Meter Program	Meter Read Type
Asset Management Plan Details  Calibration Tables (details of any calibration factors programmed into the meter)  Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)  Test And Calibration Program Details  User Access Rights Details (i.e. details of any End-User access to the metering installation such as pulse outputs)  Demand Value 1, if the Network Tariff includes a second demand  Current Transformer Location	Remote Phone Number	Communication Equipment Type	Communication Protocol
calibration factors programmed into the meter)  Test And Calibration Program Details  User Access Rights Details (i.e. details of any End-User access to the metering installation such as pulse outputs)  Demand Value 1, if the Network Tariff includes a second demand  Current Transformer Location	Data Conversion Arrangements	Validation Arrangements	Estimation Instructions
Details  details of any End-User access to the metering installation such as pulse outputs)  Demand Value 1, if the Network  Tariff includes a demand  details of any End-User access to the metering installation such as pulse outputs)  Demand Value 2, if the Network  Tariff includes a second demand	Asset Management Plan Details	calibration factors programmed	time set passwords only, separated by a space; the write password is not to be recorded
Tariff includes a demand Tariff includes a second demand	3	details of any End-User access to the metering installation such as	rection raini code riddicional
<del>component</del> <del>component</del>			Current Transformer Location
<u>Current Transformer Type</u> <u>Current Transformer Ratio</u> <u>Current Transformer Accuracy</u> <u>Class</u>	component	component	
Current Transformer Test  Current Transformer Sample  Family ID  Current Transformer Test Date	component		
<u>Voltage Transformer Location</u> <u>Voltage Transformer Type</u> <u>Voltage Transformer Ratio</u>	Current Transformer Type	Current Transformer Ratio  Current Transformer Sample	Class
Voltage Transformer AccuracyVoltage Transformer TestVoltage Transformer SampleClassFamily ID	Current Transformer Type  Current Transformer Test	Current Transformer Ratio  Current Transformer Sample Family ID	Class Current Transformer Test Date
GPS Coordinates - Latitude GPS Coordinates - Longitude	Current Transformer Type  Current Transformer Test  Voltage Transformer Location  Voltage Transformer Accuracy	Current Transformer Ratio  Current Transformer Sample Family ID  Voltage Transformer Type	Class Current Transformer Test Date  Voltage Transformer Ratio  Voltage Transformer Sample

(g) For Retrospective Changes, populate the Change Request with:



Actual End Date

- (h) Where changes to Network Tariff information are required:
  - (i) Check that the Network Tariff Code is correct and, if it is not, update it to have the correct value.
  - (ii) Change the Network Tariff Code to ensure that the current information provided in MSATS is the latest information available from the Current LNSP.

### 5.3.5. Timeframe Rules

The Timeframe Rules are specified in Table 5-ETable 5-E.

### Table 5-E - Timeframe Rules

CR 3004 – Exchange of Metering Information

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 3005 – Exchange of Metering Information – Retrospective

Objection Logging Period ( <i>business days</i> )	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period ( <i>business days</i> )
0	0	140	0

### 5.3.6. Objection Rules

Objections are not permitted.

### 5.3.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in <u>Table 5-F</u>Table 5-F.

# Table 5-F – Change Request Status Notification Rules\*\*

CR 3004 – Exchange of Metering Information

CR 3005 – Exchange of Metering Information – Retrospective

Status	FRMI	P	LR		LNSF	)	MDP		MPB		RoLR		NSP2	)	RP	
Change	N	С	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	-	-	-	-	Yes	-	-	-	-	-	
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 5.4. Change Metering Installation Details

# 5.4.1. Application [3050 3051]

Change Reason Code	Comment
3050 – Change Metering Installation Details	Used where the Current MPB is required to make a Prospective Change to the <i>metering installation</i> details in MSATS. Each Meter Serial ID must exist in MSATS and a minimum set of <i>metering installation</i> details for the <i>NMI</i> shall exist upon Completion of the Change Request.
3051 – Change Metering Installation Details – Retrospective	Used where the Current MPB is required to make a Retrospective Change to the <i>metering installation</i> details in MSATS. Each Meter Serial ID must exist in MSATS and a minimum set of <i>metering installation</i> details for the NMI shall exist upon Completion of the Change Request.

### 5.4.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The metering installation details do exist in MSATS.
- (c) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

### 5.4.3. Initiating Roles

A Current MPB may Initiate a Change Request to change *metering installation* records in MSATS in accordance with section 5.4.4.

### 5.4.4. MPB Requirements

The Current MPB must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Meter Serial ID (at least one)

(d) For all *meters* associated with the *NMI*, where the Meter Register Status Code is to be 'C', populate the Change Request with the following information (where this information does not currently exist in MSATS):

Meter Register Status Code	Metering Installation Type Code	Meter Manufacturer
Meter Model		

(e) For all Register Identifiers associated to the *NMI*, where the Register Identifier Status Code is to be "C" populate the Change Request with the following information:

Register ID	Register Identifier Status Code	Actual/Cumulative Indicator
Controlled Load Indicator	Dial Format	Multiplier Value
Time of Day Code	Unit of Measure Code	

The Current MPB may:

(f) Populate the Change Request with the following information:



Communication Protocol  Estimation Instructions  Asset Management Plan Details  Calibration Tables (details of a calibration factors programme into the meter)  Password Details (the read and Test and Calibration Program  User Access Rights Details (i.e.			
Meter UseMeter PointMeter ManufacturerMeter ModelTransformer LocationTransformer TypeTransformer RatioMeter ConstantLast Test DateNext Test DateTest Result AccuracyTest ResultTest Result NotesTest Performed ByMeasurement TypeMeter ProgramMeter Read TypeRemote Phone NumberCommunication Equipment TypeCommunication ProtocolData Conversion ArrangementsValidation ArrangementsEstimation InstructionsAsset Management Plan DetailsCalibration Tables (details of a calibration factors programmed into the meter)Password Details (the read andTest and Calibration ProgramUser Access Rights Details (i.e.	•	Network Tariff Code	Additional Site Information
Meter ModelTransformer LocationTransformer TypeTransformer RatioMeter ConstantLast Test DateNext Test DateTest Result AccuracyTest ResultTest Result NotesTest Performed ByMeasurement TypeMeter ProgramMeter Read TypeRemote Phone NumberCommunication Equipment TypeCommunication ProtocolData Conversion ArrangementsValidation ArrangementsEstimation InstructionsAsset Management Plan DetailsCalibration Tables (details of calibration factors programme into the meter)Password Details (the read andTest and Calibration ProgramUser Access Rights Details (i.e.	Meter Location	Meter Hazard	Meter Route
Transformer Ratio  Next Test Date  Test Result AccuracyTest Result  Test Result Notes  Test Performed By  Measurement Type  Meter Read Type  Remote Phone Number  Communication Protocol  Data Conversion Arrangements  Estimation Instructions  Asset Management Plan Details  Calibration Tables (details of a calibration factors programme into the meter)  Password Details (the read and Test and Calibration Program  User Access Rights Details (i.e.	Meter Use	Meter Point	Meter Manufacturer
Next Test Date Test Result AccuracyTest Result Test Result Notes  Test Performed By Meter Read Type Remote Phone Number Communication Protocol Data Conversion Arrangements Estimation Instructions Asset Management Plan Details Calibration Tables (details of a calibration factors programme into the meter)  Password Details (the read and Test and Calibration Program User Access Rights Details (i.e.	Meter Model	Transformer Location	Transformer Type
Test Performed By  Measurement Type  Meter Read Type  Remote Phone Number  Communication Protocol  Data Conversion Arrangements  Estimation Instructions  Asset Management Plan Details  Calibration Tables (details of a calibration factors programme into the meter)  Password Details (the read and Test and Calibration Program  User Access Rights Details (i.e.	Transformer Ratio	Meter Constant	Last Test Date
Meter Read Type  Remote Phone Number  Communication Protocol  Data Conversion Arrangements  Validation Arrangements  Estimation Instructions  Asset Management Plan Details  Calibration Tables (details of a calibration factors programme into the meter)  Password Details (the read and Test and Calibration Program  User Access Rights Details (i.e.	Next Test Date	Test Result Accuracy Test Result	Test Result Notes
Communication Protocol  Estimation Instructions  Asset Management Plan Details  Calibration Tables (details of a calibration factors programme into the meter)  Password Details (the read and Test and Calibration Program  User Access Rights Details (i.e.	Test Performed By	Measurement Type	Meter Program
Estimation Instructions  Asset Management Plan Details  Calibration Tables (details of a calibration factors programme into the meter)  Password Details (the read and Test and Calibration Program  User Access Rights Details (i.e.	Meter Read Type	Remote Phone Number	Communication Equipment Type
Calibration factors programme into the meter)  Password Details (the read and Test and Calibration Program User Access Rights Details (i.e.	Communication Protocol	Data Conversion Arrangements	Validation Arrangements
	Estimation Instructions	Asset Management Plan Details	Calibration Tables (details of any calibration factors programmed into the meter)
	time set passwords only, separated by a space; the write password is not to be recorded	3	User Access Rights Details (i.e. details of any End-User r access to the metering installation such as pulse outputs)
		Tariff includes a demand	Demand Value 2, if the Network Tariff includes a second demand component
<u>Current Transformer Type</u> <u>Current Transformer Ratio</u> <u>Current Transformer Accuracy Class</u>	<u>Current Transformer Type</u>	<u>Current Transformer Ratio</u>	Current Transformer Accuracy Class
<u>Current Transformer Test</u> <u>Current Transformer Sample</u> <u>Family ID</u> <u>Current Transformer Test Date</u>	Current Transformer Test		<u>Current Transformer Test Date</u>
<u>Voltage Transformer Location</u> <u>Voltage Transformer Type</u> <u>Voltage Transformer Ratio</u>	Voltage Transformer Location	Voltage Transformer Type	Voltage Transformer Ratio
Voltage Transformer Accuracy       Voltage Transformer Test       Voltage Transformer Sample         Class       Family ID		Voltage Transformer Test	<del>Voltage Transformer Sample</del> Family ID
Current Transformer Location GPS Coordinates - Latitude GPS Coordinates - Longitude	Current Transformer Location	GPS Coordinates - Latitude	GPS Coordinates - Longitude

(g) For Retrospective Changes, populate the Change Request with:

Actual End Date	
Actual Life Date	

# 5.4.5. Timeframe Rules

The Timeframe Rules are specified in <u>Table 5-GTable 5-G</u>.



### Table 5-G – Timeframe Rules

CR 3050 – Change Meter Details

Objection Logging Period	Objection Clearing Period	Retrospective Period	Prospective Period
(business days)	(business days)	(business days)	(business days)
0	0	0	65

CR 3051 – Change a NMI Meter Details - Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

### 5.4.6. Objection Rules

Objections are not permitted.

# 5.4.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 5-H.

# Table 5-H – Change Request Status Notification Rules\*\*

CR 3050 – Change Meter Details

CR 3051 – Change a NMI Meter Details - Retrospective

Status	FRMI	)	LR		LNSP	•	MDP		MPB		RoLR		NSP2	)	RP	
Change	N	С	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 5.5. Change Network Tariff Code

### 5.5.1. Application [3100 3101]

Change Reason Code	Comment
3100 – Change Network Tariff Code	Used where the Current LNSP (or the ENM in the case of a Child NMI) is required to make a Prospective Change to the Network Tariff Code.
3101 – Change Network Tariff - Retrospective	Used where the Current LNSP (or the ENM in the case of a Child NMI) is required to make a Retrospective Change to the Network Tariff Code.

#### 5.5.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

### 5.5.3. Initiating Roles

A Current LNSP (or the ENM in the case of a Child NMI) may Initiate a Change Request to change a Network Tariff Code in accordance with section 5.5.4

### 5.5.4. LNSP or ENM Requirements

The Current LNSP must:

- (a) Check that the Network Tariff Code created by the MPB when the *meter* record was created in MSATS is correct and, if it is not, update it to have the correct value.
- (b) Change the Network Tariff Code to ensure that the current information provided in MSATS is the latest information available from the Current LNSP (or the ENM in the case of a Child NMI).
- (c) Obtain the NMI Checksum from an approved source.
- (d) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (e) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Meter Serial ID
Register ID	Network Tariff Code (for each register)	

(f) The Current LNSP (or the ENM in the case of a Child NMI) may for Retrospective Changes, populate the Change Request with:

Actual End Date	
Actual Life Date	

### 5.5.5. Timeframe Rules

The Timeframe Rules are specified in Table 5-I.



### Table 5-I – Timeframe Rules

CR 3100 – Change Network Tariff

Objection Logging Period	Objection Clearing Period	Retrospective Period	Prospective Period
(business days)	(business days)	(business days)	(business days)
0	0	0	65

CR 3101 – Change network tariff – Retrospective

Objection Logging Period	Objection Clearing Period	Retrospective Period	Prospective Period
(business days)	(business days)	(business days)	(business days)
0	0	140	0

# 5.5.6. Objection Rules

Objections are not permitted.

# 5.5.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 5-J.

# Table 5-J – Change Request Status Notification Rules\*\*

CR 3100 – Change Network Tariff

CR 3101 – Change Network Tariff - Retrospective

Status	FRM	Р	LR		LNSF	)	MDP	•	MPB		RoLF	}	NSP2	2	RP	
Change	Ν	С	Ν	С	Ν	С	N	С	N	С	N	С	Ν	С	N	С
CANCELLED	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



### 6. CREATE AND MAINTAIN DATASTREAM - CHANGE REQUESTS

### 6.1. Create NMI Datastream

### 6.1.1. Application [4000 4001]

Change Reason Code	Comment
4000 – Create MDM NMI Datastream Details	Used where the Current MDP establishes the initial set of information in MSATS about the MDM NMI Datastream details, and there is no associated Datastream Status Code change to inactive for the <i>NMI</i> for the same effective date. The date at which the information will apply would be a Prospective Day.
4001 – Create MDM NMI Datastream Details - Retrospective	Used where the Current MDP establishes the initial set of information in MSATS about the MDM NMI Datastream details, and there is no associated Datastream Status Code change to inactive for the <i>NMI</i> for the same effective date. The date at which the information will apply would be a Retrospective Day

#### 6.1.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Datastream details do not exist in MSATS.
- (c) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

### 6.1.3. Initiating Roles

A Current MDP may Initiate a Change Request to create an NMI Datastream in accordance with section 6.1.4.

# 6.1.4. MDP Requirements

The Current MDP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	NMI Suffix (at least one)
Datastream Type (for each suffix)	Profile Name (for each suffix)	ADL (for each suffix)
Datastream Status Code (for each suffix)		

(d) Obtain the ADL from the LNSP if this value is not otherwise provided by the New FRMP.

The Current MDP may, for Retrospective Changes, populate the Change Request with:

A struct Final Data		
Actual End Date		
/ tetaal Ella Bate		

#### 6.1.5. Timeframe Rules

The Timeframe Rules are specified in Table 6-A.



#### Table 6-A – Timeframe Rules

CR 4000 - Create NMI Datastream Details

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 4001 - Create NMI Datastream Details - Retrospective

Objection Logging Period	Objection Clearing Period	Retrospective Period	Prospective Period		
(business days)	(business days)	(business days)	(business days)		
0	0	140	0		

# 6.1.6. Objection Rules

Objections are not permitted.

# 6.1.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 6-B.

# Table 6-B – Change Request Status Notification Rules\*\*

CR 4000 - Create NMI Datastream Details

CR 4001 – Create NMI Datastream Details - Retrospective

Status	FRM	Р	LR		LNSF		MDP	•	МРВ		RoLF	ł	NSP2	2	RP	
Change	N	С	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 6.2. Exchange of Datastream information

### 6.2.1. Application [4004 4005]

Change Reason Code	Comment
4004 – Exchange of Datastream Information	Used where the Current MDP is required to apply a Prospective Change to MDM NMI Datastream details. The change will include at least one Datastream Status Code change to inactive and the creation of at least one new Datastream. A minimum set of MDM NMI Datastream details for the <i>NMI</i> shall exist upon Completion of the Change Request.
4005 – Exchange of Datastream Information - Retrospective	Used where the Current MDP is required to apply a Retrospective Change to the MDM NMI Datastream details. The change will include at least one Datastream Status Code change to inactive and the creation of at least one new Datastream. A minimum set of MDM NMI Datastream details for the <i>NMI</i> shall exist upon Completion of the Change Request.

#### 6.2.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The metering installation details exist in MSATS.
- (c) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

### 6.2.3. Initiating Roles

A Current MDP may Initiate a Change Request to exchange Datastream records in accordance with section 6.2.4.

#### 6.2.4. MDP Requirements

The Current MDP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	Its Participant ID
Proposed Change Date	NMI	NMI Checksum

(d) For all Datastreams associated with the *NMI*, where the Datastream Status Code is to be "A" populate the Change Request with the following information (where this information does not currently exist in MSATS):

NMI Suffix (at least one)	Datastream Type (for each suffix)	Profile Name (for each suffix)
ADL (for each suffix)	Datastream Status Code (for each suffix)	

The Current MDP may:

(e) Populate the Change Request with the following information:

Meter Serial ID (for each meter)	Register ID (for each register)	MDM Contributory Suffix (for
		each register)

(f) For Retrospective Changes, populate the Change Request with:



#### 6.2.5. Timeframe Rules

The Timeframe Rules are specified in the <u>Table 6-CTable 6-C</u>.

### Table 6-C – Timeframe Rules

CR 4004 – Exchange of Datastream Information

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 4005 – Exchange of Datastream Information – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

# 6.2.6. Objection Rules

Objections are not permitted.

### 6.2.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in <u>Table 6-D Table 6-D</u>.

# Table 6-D – Change Request Status Notification Rules\*\*

CR 4004 – Exchange of Datastream Information

CR 4005 – Exchange of Datastream Information - Retrospective

Status Change	FRMP		LR		LNSP		MDP		MPB		RoLR		NSP2		RP	
	N	С	N	С	N	С	N	С	N	С	N	С	N	С	Ν	С
CANCELLED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-	
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 6.3. Change NMI Datastream

# 6.3.1. Application [4050 4051]

Change Reason Code	Comment
4050 – Change MDM NMI Datastream	Used where the Current MDP is required to apply a Prospective Change to the NMI Datastream details. Each Datastream must exist in MSATS and a minimum set of MDM NMI Datastream details for the <i>NMI</i> shall exist upon Completion of the Change Request.
4051 – Change MDM NMI Datastream – Retrospective	Used where the Current MDP is required to apply a Retrospective Change to the NMI Datastream details. Each Datastream must exist in MSATS and a minimum set of MDM NMI Datastream details for the <i>NMI</i> shall exist upon Completion of the Change Request.

#### 6.3.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The metering installation and Datastream details exist in MSATS.
- (c) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

### 6.3.3. Initiating Roles

A Current MDP may initiate a Change Request to change an NMI Datastream in accordance with section 6.3.4.

### 6.3.4. MDP Requirements

The Current MDP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	NMI Suffix (at least one)

(d) For all Register IDs associated with that NMI suffix, where the Datastream Status Code is to be "A", populate the Change Request with the following information (where this information does not currently exist in MSATS):

Datastream Type	Profile Name	ADL
Datastream Status Code		

The Current MDP may:

(e) Populate the Change Request with the following information:

	MDM Contributory Suffix	Meter Serial ID	Register ID				
(f)	For Retrospective Changes,	populate the Change Request w	ith the following information:				
	Actual End Date						



# 6.3.5. Timeframe Rules

The Timeframe Rules are specified in Table 6-E.

#### Table 6-E – Timeframe Rules

CR 4050 – Change NMI Datastream Details

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 4051 - Change NMI Datastream Details - Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

# 6.3.6. Objection Rules

Objections are not permitted.

# 6.3.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 6-F-Table 6-F.

# Table 6-F – Change Request Status Notification Rules\*\*

CR 4050 – Change NMI Datastream Details

CR 4051 – Change NMI Datastream Details - Retrospective

Status Change	FRMP		LR		LNSP		MDP		MPB		RoLR		NSP2		RP	
	N	С	N	С	N	С	N	С	N	С	Ν	С	N	С	Ν	С
CANCELLED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 7. MAINTAIN NMI – CHANGE REQUESTS

### 7.1. Backdate a NMI

### 7.1.1. Application [5001, 5021]

Change Reason Code	Comment
5001 – Backdate NMI Start Date	Used where the LNSP, or AEMO on request from an LNSP, establishes the initial set of information in MSATS in regard to a <i>connection point</i> . The date at which the information will apply would be a Retrospective Day.
5021 – Backdate NMI Start Date - Child	Used where the ENM, or AEMO on request from the ENM, backdates the initial set of information in MSATS in regard to a <i>child connection point</i> . The date at which the information will apply would be a Retrospective Day.

#### 7.1.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

# 7.1.3. Initiating Roles

AEMO or the LNSP/ENM (as applicable) may Initiate a Change Request to backdate a NMI record in accordance with section 7.1.4, 7.1.5, 7.1.6.

#### 7.1.4. LNSP Requirements

The New LNSP (which must be the same party as the Current LNSP for the period where the *NMI* exists in MSATS) must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is still a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate the Change Request with values for the following standing data items:

Participant Transaction ID	NMI and NMI Checksum	Its Participant ID
Proposed Change Date	Actual End Date (which should be the day prior to the day that the existing NMI Master Record starts on)	TNI Code
DLF Code	NMI Classification Code	Jurisdiction Code
FRMP	LR	ROLR
RP	MDP	MPB
MPC	LNSP (which must be themselves)	NMI Status Code
Locality	State	Postcode
Connection Configuration	Shared Isolation Point Flag	

(d) Populate the Change Request with values for the following address fields (as applicable):

### **EITHER**

DPID	Flat Number	Flat Type



Floor Number	Floor Type	House Number
House Number Suffix	Location Descriptor	Lot Number
Street Name	Street Suffix	Street Type
<u>GNAF PID</u>	Section Number	<u>DP Number</u>
House Number To		

#### <del>OR</del>

Unstructured Address 1	Unstructured Address 2	Unstructured Address 3
<del>Onstructured Madress 1</del>	<del>Onstructured Address E</del>	<del>Oristi detared 7 (daress s</del>

The New LNSP may populate the Change Request with the following information:

|--|

# 7.1.5. ENM Requirements (5021 only)

The New ENM must:

- (a) Confirm that the NMI is still a valid NMI for the connection point.
- (b) Provide AEMO with values for the following data items:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Actual End Date (which should be the day prior to the day that the existing NMI Master Record starts on)
TNI Code	DLF Code	NMI Classification Code
Jurisdiction Code	Child Name	FRMP
LR	ROLR	RP
MDP	MPB	MPC
State	NMI Status Code	Locality
Postcode	Connection Configuration	Shared Isolation Point Flag

- (c) Nominate itself as the LNSP
- (d) Provide AEMO with values for the following address fields (as appropriate):

### **EITHER**

DPID	Flat Number	Flat Type
Floor Number	Floor Type	House Number
House Number Suffix	Location Descriptor	Lot Number
Street Name	Street Suffix	Street Type
House Number To	<u>GNAF PID</u>	Section Number
<u>DP Number</u>		

#### <del>OR</del>

Unstruc	tured Address 1	Unstructured Address 2	Unstructured Address 3
	EN 18 4	 	

(e) The ENM may provide AEMO with the following information:



Customer Threshold Code

### 7.1.6. AEMO Requirements

AEMO must, on request from an LNSP, populate the Change Request with the data provided by the LNSP in accordance with section 7.1.4 (CR 5001), or ENM in accordance with section 7.1.5 (CR 5021).

#### 7.1.7. MPB Requirements

The New MPB must, on receipt of the Change Request Status Notification for the Completed status, provide the *metering installation* details using CR 3000 or 3001.

#### 7.1.8. Timeframe Rules

The Timeframe Rules are specified in the Table 7-A.

#### Table 7-A – Timeframe Rules

CR 5001 – Backdate NMI Start Date

Objection Logging Period	Objection Clearing Period	Retrospective Period	Prospective Period
(business days)	(business days)	(business days)	(business days)
1	20	140	0

#### CR 5021 - Backdate NMI Start Date - Child

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	140	0

### 7.1.9. Objection Rules

The 'Yes' Roles specified in <u>Table 7-B Table 7-B</u> may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 7-A.

### Table 7-B – Objection Rules\*\*

CR 5001 – Backdate NMI Start Date

Objection	NMI	Jur'n	FRMP	•	LR		MDF	)	МРВ		ROLF	2	RP		LNSF	)
Code	Class		N	C	N	С	N	С	N	С	N	С	N	С	N	С
NOTRESP	ALL	ALL	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	-	-
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-

#### CR 5021 - Backdate NMI Start Date - Child

Objection NMI		Jur'n	FRMP		LR		MDP		MPB		RoLR		RP		LNSP	
Code	Class		N	С	Ν	С	N	С	N	С	N	С	Ν	С	Ν	С
NOTRESP	ALL	ALL	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	-	-
													-			
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
RETRO	ALL	NSW VIC SA	Yes	-	Yes	-	-	-	-	-	-	-	-	-	-	-
		ALL														



\*\* N = New Role, C = Current Role.

# 7.1.10. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 7-C.

# Table 7-C – Change Request Status Notification Rules\*\*

CR 5001 – Backdate NMI Start Date

CR 5021 – Backdate NMI Start Date – Child

Status	FRMI	Р	LR		LNSP		MDP		MPB		RoLR		NSP2		RP	
Change	Ν	С	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
COMPLETED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
OBJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
PENDING	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
REJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-
REQUESTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	Yes	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 7.2. Change a NMI

# 7.2.1. Application [5050 5051]

Change Reason Code	Comment
5050 – Change NMI Details	Used where the Current LNSP is required to apply a Prospective Change to information about a <i>connection point</i> .
5051 – Change NMI Details - Retrospective	Used where the Current LNSP is required to apply a Retrospective Change to the information about a <i>connection point</i> .

#### 7.2.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

### 7.2.2.1. Initiating Roles

A Current LNSP may Initiate a Change Request to change a *NMI* record in MSATS in accordance with section 7.2.3.

#### 7.2.3. LNSP Requirements

The Current LNSP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

The Current LNSP may:

(d) Populate the Change Request with the values for following address fields (as applicable):

TNI Code	DLF Code	NMI Classification Code
Jurisdiction Code	NMI Status Code	Parent Name
Locality	State	Postcode
Building Name	DPID	Flat Number
Flat Type	Floor Number	Floor Type
House Number	House Number Suffix	Location Descriptor
Lot Number	Street Name	Street Suffix
Street Type	Unstructured Address 1	Unstructured Address 2
Unstructured Address 3	<u>GNAF PID</u>	House Number To
Section Number	<u>DP Number</u>	Connection Configuration
Shared Isolation Point Flag		

(e) For Retrospective Changes, populate the Change Request with the:

A . IF ID .	
Actual End Date	
Actual Ella Date	



#### 7.2.4. Timeframe Rules

The Timeframe Rules are specified in Table 7-D.

#### Table 7-D – Timeframe Rules

CR 5050 - Change NMI Details

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 5051 - Change NMI Details - Retrospective

Objection Logging Period	Objection Clearing Period	Retrospective Period	Prospective Period
(business days)	(business days)	(business days)	(business days)
0	0	140	0

Note: An Objection Logging Period of zero means Objections need to be logged by midnight of the *business day* that the Change Request is submitted.

# 7.2.5. Objection Rules

The 'Yes' Roles specified in <u>Table 7-E</u> may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 7-D.

### Table 7-E – Objection Rules\*\*

CR 5050 - Change NMI Details

CR 5051 - Change NMI Details - Retrospective

Objection	NMI	Jur'n	FRMP		LR		MDP		МРВ		ROLR		RP		LNSP	
Code	Clas s		N	С	N	С	N	С	Ν	С	N	С	N	С	N	С
NOTRESP	ALL	ALL	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

### 7.2.6. Change Request Status Notification Rules

#### Table 7-F - Change Request Status Notification Rules\*\*

CR 5050 – Change NMI Details

CR 5051 – Change NMI Details - Retrospective

Status	FRMI	Р	LR		LNSP		MDP		MPB		RoLR		NSP2		RP	
Change	N	С	N	С	Ν	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	Yes
OBJECTED	-	-	-	-	-	Yes	-	Yes	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 7.3. Change NMI Embedded Network (child)

# 7.3.1. Application [5060 5061]

Change Reason Code	Comment
5060 – Change Child NMI Details	Used where the Current ENM is required to apply a Prospective Change to the information about a <i>child connection point</i> .
5061 – Change Child NMI Details - Retrospective	Used where the Current ENM is required to apply a Retrospective Change to the information about a <i>child connection point</i> .

#### 7.3.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is WHOLESAL OR GENERATR.

### 7.3.3. Initiating Roles

A Current ENM may Initiate a Change Request to change a NMI record in accordance with section 7.3.4.

# 7.3.4. ENM Requirements

The Current ENM must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

The Current ENM may:

(d) Populate the Change Request with the following information:

TNI Code	DLF Code	NMI Classification Code
Jurisdiction Code	NMI Status Code	Parent Name
Child Name	Locality	State
Postcode	Building Name	DPID
Flat Number	Flat Type	Floor Number
Floor Type	House Number	House Number Suffix
Location Descriptor	Lot Number	Street Name
Street Suffix	Street Type	Unstructured Address 1
Unstructured Address 2	Unstructured Address 3	Feeder Class
Customer Threshold Code	<u>GNAF PID</u>	House Number To
Section Number	<u>DP Number</u>	Connection Configuration
Shared Isolation Point Flag		

(e) For Retrospective Changes, populate the Change Request with the following information:



# 7.3.5. Timeframe Rules

The Timeframe Rules are specified in Table 7-G.

### **Table 7-G- Timeframe Rules**

CR 5060 - Change NMI Details - Child

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 5061 – Change NMI Details – Child – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

# 7.3.6. Objection Rules

Objections are not permitted.

# 7.3.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 7-H.

# Table 7-H – Change Request Status Notification Rules\*\*

CR 5060 - Change NMI Details - Child

CR 5061 – Change NMI Details – Child – Retrospective

PARTICIPANT ROLE – Receives Notification of Change

Status Change	FRMP		LR		LNSP		MDP		МРВ		RoLR		RP	
	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-		-	-	-	Yes	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 7.4. Change Parent Name

# 7.4.1. Application [5080 5081]

Change Reason Code	Comment
5080 – Change Parent Name	Used where the Current LNSP is required to apply a Prospective Change to the Parent Name.
5081 – Change Parent Name - Retrospective	Used where the Current LNSP is required to apply a Retrospective Change to the Parent Name

#### 7.4.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is GENERATR or WHOLESAL

### 7.4.3. Initiating Roles

A Current LNSP may Initiate a Change Request to change the Parent Name in MSATS in accordance with section 7.4.4.

### 7.4.4. LNSP Requirements

The Current LNSP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Parent Name

(d) For Retrospective Changes, the Current LNSP may populate the Change Request with the following information:

Actual End Date	
Actual Ena Date	

### 7.4.5. Timeframe Rules

The Timeframe Rules are specified in Table 7-I.

#### Table 7-I- Timeframe Rules

CR 5080 – Change Parent Name

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 5081 – Change Parent Name – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0



# 7.4.6. Objection Rules

Objections are not permitted.

# 7.4.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 7-J.

# Table 7-J – Change Request Status Notification Rules\*\*

CR 5080 – Change Parent Name

CR 5081 – Change Parent Name – Retrospective

PARTICIPANT ROLE – Receives Notification of Change

Status Change	FRMP		LR		LNSP		MDP		МРВ		RoLR		RP	
	Ν	С	N	С	Ν	С	N	С	N	С	Ν	С	Ν	С
CANCELLED	-	Yes	-	-	-	Yes	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	Yes	-	-	-	Yes	-	-	-	-	-	-	-	-
REQUESTED	-	Yes	-	-	-	Yes	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



### 8. CHANGE ROLE - CHANGE REQUESTS

# 8.1. Change LNSP

### 8.1.1. Application [6100 6110]

Change Reason Code	Comment
6100 – Change LNSP	Used where the New LNSP or the New ENM is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Prospective Change to the name of the Current LNSP or the Current ENM.
6110 – Change LNSP - Retrospective	Used where the New LNSP of the New ENM is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Retrospective Change to the name of the Current LNSP or the Current ENM.

#### 8.1.2. Conditions Precedent

- (a) The NMI details exist in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

### 8.1.3. Initiating Roles

A New LNSP or a New ENM may Initiate a Change Request to change a LNSP or ENM in accordance with section 8.1.4.

# 8.1.4. LNSP or ENM Requirements

The New LNSP or the New ENM (as applicable) must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

(d) Nominate itself as the new LNSP or the new ENM.

The New LNSP may:

(e) Populate the Change Request with the following information:

TNI Code	DLF Code	NMI Classification Code
Jurisdiction Code		

(f) For Retrospective Changes, populate the Change Request with:

|--|

#### 8.1.5. Timeframe Rules

The Timeframe Rules are specified in Table 8-A.



#### Table 8-A-Timeframe Rules

CR 6100 - Change LNSP

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65

### CR 6110 - Change LNSP - Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	130	0

# 8.1.6. Objection Rules

The 'Yes' Roles specified <u>Table 8-B Table 8-B</u> may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 8-A.

### Table 8-B – Objection Rules\*\*

CR Code 6100 – Change LNSP

Objection	NMI	Jur'n	FRM	Р	LR		MDP		МРВ		ROLI	3	RP		LNSF	)
Code	Class		N	С	N	С	N	С	Ν	С	N	С	N	С	N	С
BADDATA	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
NOTRESP	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes

### CR 6110 - Change LNSP - Retrospective

Objection	NMI	Jur'n	FRMI	Р	LR		MDP	•	MPB		ROLF	3	RP		LNSF	)
Code	Class		N	С	N	С	Ν	С	N	С	N	С	N	С	Ν	С
BADDATA	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
NOTRESP	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
RETRO	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes

<sup>\*\*</sup> N = New Role, C = Current Role.

# 8.1.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 8-C



# Table 8-C – Change Request Status Notification Rules\*\*

CR 6100 – Change LNSP

CR 6110 – Change LNSP - Retrospective

Status	FRMI	Р	LR		LNSF	)	MDP		MPB		RoLR		NSP2	2	RP	
Change	N	С	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	Yes	Yes	-	Yes	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	Yes	Yes	-	Yes	-	Yes	-	-	-	Yes	-	Yes
OBJECTED	-	-	-	-	Yes	Yes	-	Yes	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	Yes	Yes	-	Yes	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	Yes	Yes	-	Yes	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	Yes	Yes	-	Yes	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New role, C = Current role.



# 8.2. Change MDP

### 8.2.1. Application [6200 6210]

Change Reason Code	Comment
6200 – Change MDP	Used where the Current FRMP or Current MC is required to apply a Prospective Change to the name of the Current MDP.
6210 – Change MDP - Retrospective	Used where the Current FRMP or Current MC is required to apply a Retrospective Change to the name of the Current MDP.

### 8.2.2. Conditions Precedent

- (a) The *NMI* exists in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

#### 8.2.3. Initiating Roles

The Current FRMP or Current MC may Initiate a Change Request to change an MDP in accordance with section 8.2.4 or 8.2.5 (as applicable).

### 8.2.4. FRMP Requirements

If the Change Request is Initiated by the Current FRMP, the Current FRMP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to Initiation.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	MDP

If the Change Request is Initiated by the Current FRMP, the Current FRMP may, for Retrospective Changes, populate the Change Request with the following information:

Actual End Date	
Actual Ella Date	

#### 8.2.5. MC Requirements

- (a) If the Change Request is initiated by the Current MC, the Current MC must:
  - (i) Obtain the NMI Checksum from an approved source.
  - (ii) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to Initiation.
  - (iii) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	MDP

(b) If the Change Request is Initiated by the Current MC, the Current MC may for Retrospective Changes, populate the Change Request with the following information:

Actual End Date	



### 8.2.6. MDP Requirements

On receipt of a Data Request for Change Reason Code 6200, the MDP must Initiate a Change Request to provide the Actual Change Date.

#### 8.2.7. Timeframe Rules

The Timeframe Rules are specified in Table 8-D.

#### Table 8-D – Timeframe Rules

CR 6200 - Change MDP

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65

# CR 6210 – Change MDP – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	130	0

### 8.2.8. Objection Rules

The 'Yes' Roles specified in <u>Table 8-E</u> may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 8-D.

### Table 8-E – Objection Rules\*\*

CR 6200 - Change MDP

Objection	NMI									Jur'n	FRI	MP	LR		MDF	)	MPB		ROL	R	RP		LNSF	)
Code	Class		Ν	С	N	С	N	С	Ν	С	N	С	N	С	Ν	С								
DECLINED	ALL	ALL	-	-	-	-	Yes	-	-	-	-	-	-	-	-	-								
NOTRESP	ALL	ALL	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-								

CR 6210 - Change MDP - Retrospective

Objection	NMI											Jur'n	FR	MP	LR		MDF	)	MPB		ROL	R	RP		LNSF	)
Code	Class		Ν	С	N	С	N	С	N	С	N	С	N	С	N	С										
BADDATA	ALL	ALL	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	-										
DECLINED	ALL	ALL	-	-	-	-	Yes	-	-	-	-	-	-	-	-	-										
NOTRESP	ALL	ALL	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-										

<sup>\*\*</sup> N = New Role, C = Current Role.

# 8.2.9. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 8-F.



# Table 8-F – Change Request Status Notification Rules\*\*

CR 6200 – Change MDP

CR 6210 – Change MDP - Retrospective

Status	FRMP		LR		LNSP		MDP I		MPB		RoLR		NSP2		RP	
Change	Ν	С	N	С	N	С	Ν	С	N	С	N	С	N	С	N	С
CANCELLED	-	Yes	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	Yes
COMPLETED	-	Yes	-	Yes	-	Yes	Yes	Yes	-	Yes	-	-	-	Yes	-	Yes
OBJECTED	-	Yes	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	Yes
PENDING	-	Yes	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	Yes
REJECTED	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
REQUESTED	-	Yes	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	Yes

<sup>\*\*</sup> N = New Role, C = Current Role.



# 8.3. Change MC

# 8.3.1. Application [6300 6301]

Change Reason Code	Comment			
6300 – Change MC	Used where the New MC or Current FRMP is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Prospective Change to the Current MC.			
6301 – Change MC - Retrospective	Used where the New MC or Current FRMP is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Retrospective Change the Current MC.			

#### 8.3.2. Conditions Precedent

- (a) The *NMI* exists in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

### 8.3.3. Initiating Roles

A New MC or Current FRMP may Initiate a Change Request to change the MC in accordance with section 8.3.4.

### 8.3.4. MC/Current FRMP Requirements

- (a) The New MC/Current FRMP must:
  - (i) Obtain the NMI Checksum from an approved source.
  - (ii) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to Initiation.
  - (iii) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Participant ID of the New MC	Proposed Change Date	

- (b) Nominate the New MC.
- (c) For Retrospective Changes, the New MC/Current FRMP may populate the Change Request with the following information:

Actual End Date
-----------------

#### 8.3.5. Timeframe Rules

The Timeframe Rules are specified in Table 8-G.

# Table 8-G – Timeframe Rules

CR 6300 – Change MC

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65



CR 6301 – Change MC - Retrospective

Objection Logging Period (business days)	33 3		Prospective Period (business days)
1	20	130	0

# 8.3.6. Objection Rules

The 'Yes' Roles specified in <u>Table 8-H Table 8-H</u> may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 8-G.

### Table 8-H – Objection Rules\*\*

CR 6300 – Change MC

Objection	NMI	Jur'n	FRMP		LR		MDP		МРВ		ROLR		RP		LNSP	
Code	Class	N	С	N	С	N	С	N	С	N	С	Ν	С	N	С	
DECLINED	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-

CR 6301 - Change MC - Retrospective

Objection	NMI	Jur'n	FRMP		LR		MDP		МРВ		ROLR		RP		LNSP	
Code	Class		N	С	N	С	N	С	Ν	С	N	С	N	С	N	С
DECLINED	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
RETRO	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	Yes	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

### 8.3.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 8-I. Table 8-I.

# Table 8-I – Change Request Status Notification Rules\*\*

CR 6300 – Change MC

CR 6301 – Change MC - Retrospective

Status			LR		LNSP		MDP		МРВ		RoLR		NSP2		RP	
Change	Ν	С	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-	Yes	Yes
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	Yes	Yes
OBJECTED	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-	Yes	Yes
PENDING	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-	Yes	Yes
REJECTED	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-	Yes	Yes
REQUESTED	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-	Yes	Yes

<sup>\*\*</sup> N = New Role, C = Current Role.



# 8.4. Change LR

# 8.4.1. Application [6400 6401]

Change Reason Code	Comment
6400 – Change LR	Used where the New LR is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Prospective Change to the name of the Current LR.
6401 – Change LR – Retrospective	Used where the New LR is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Retrospective Change to the o name of the Current LR.

### 8.4.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

#### 8.4.3. Initiating Roles

A New LR may Initiate a Change Request to change a LR in accordance with section 8.4.4.

### 8.4.4. LR Requirements

- (a) The New LR must:
  - (i) Obtain the NMI Checksum from an approved source.
  - (ii) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to Initiation.
  - (iii) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

- (b) Nominate itself as the new LR.
- (c) The New LR may, for Retrospective Changes, populate the Change Request with the following information:

|--|

### 8.4.5. Timeframe Rules

The Timeframe Rules are specified in Table 8-J.

### Table 8-J – Timeframe Rules

CR 6400 - Change LR

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65

### CR 6401 – Change LR – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	130	0



# 8.4.6. Objection Rules

The 'Yes' Roles specified in Table 8-K may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 8-J.

### Table 8-K – Objection Rules\*\*

CR 6400 – Change LR

Objection	NMI	Jur'n	FRMP		LR		MDP		МРВ		ROLR		RP		LNSP	
Code	Class		N	С	N	С	N	С	N	С	Ν	С	N	С	N	С
NOTRESP	ALL	ALL	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-

CR 6401 - Change LR - Retrospective

Objection	NMI	Jur'n	FRMP		LR		MDP		МРВ		ROLR		RP		LNSP	
Code	Class		Ν	С	N	С	N	С	N	С	N	С	N	С	Ν	С
NOTRESP	ALL	ALL	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-
RETRO	ALL	ALL	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

### 8.4.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 8-L.

# Table 8-L – Change Request Status Notification Rules\*\*

CR 6400 - Change LR

CR 6401 – Change LR - Retrospective

Status			LR	LR		LNSP		MDP		MPB		RoLR		NSP2		
Change	N	С	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	Yes	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	Yes
OBJECTED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-	-	-
PENDING	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-	-	-
REJECTED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-	-	-
REQUESTED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 8.5. Change LR – Child NMI

### 8.5.1. Application [6421]

Change Reason Code	Comment
6421 – Change LR - Child NMI - Retrospective	Used where the New LR for an <i>embedded network</i> Child NMI is required (due to an error in the NMI Master Record) to apply a Retrospective Change to the name of the
	Current LR.

#### 8.5.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is GENERATR or WHOLESAL
- (c) The New LR for the Child NMI must be the FRMP of the Parent NMI.

#### 8.5.3. Initiation Rules

A New LR may initiate a Change Request to change an LR in accordance with section 8.5.4.

#### 8.5.4. LR Requirements

- (a) The New LR must:
  - (i) Obtain the NMI Checksum from an approved source.
  - (ii) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to Initiation.
  - (iii) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

- (b) Nominate itself as the new LR.
- (c) The New LR may populate the Change Request with the following information:

Actual End Date
-----------------

#### 8.5.5. Timeframe Rules

The Timeframe Rules are specified in Table 8-M.

### Table 8-M - Timeframe Rules

CR 6421 - Change LR Child NMI - Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
Generator NMI	Generator NMI		
1	10	130	0

#### 8.5.6. Objection Rules

The 'Yes' Roles specified in Table 8-N may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 8-M.



# Table 8-N – Objection Rules\*\*

CR 6421 – Change LR Child NMI – Retrospective

Objection					LR	LR		MDP		МРВ		MPC		RP		Р
Code	Class		N	С	N	С	N	С	N	С	Ν	С	N	С	Ν	С
NOTRESP	GEN	ALL	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-
RETRO	GEN	ALL	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

# 8.5.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 8-O.

# Table 8-O- Change Request Status Notification Rules\*\*

CR 6421 – Change LR Child NMI – Retrospective

Status	FRMF	FRMP		LR		LNSP		MDP		МРВ		MPC		RP	
Change	Ν	С	N	С	N	С	Ν	С	Ν	С	Ν	С	Ν	С	
CANCELLED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-	
COMPLETED	-	Yes	Yes	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	
OBJECTED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-	
PENDING	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-		
REJECTED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-	
REQUESTED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-	

<sup>\*\*</sup> N = New Role, C = Current Role.



# 8.6. Change ROLR

### 8.6.1. Application [6500 6501]

Change Reason Code	Comment
6500 – Change ROLR	Used where the New ROLR is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Prospective Change to the name of the Current ROLR.
6501 – Change ROLR – Retrospective	Used where the New ROLR is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Retrospective Change to the name of the Current ROLR.

#### 8.6.2. Conditions Precedent

- (a) The *NMI* exists in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

#### 8.6.3. Initiation Rules

A New ROLR may Initiate a Change Request to change a ROLR in accordance with section 8.6.4.

#### 8.6.4. ROLR Requirements

- (a) The New ROLR must:
  - (i) Obtain the NMI Checksum from an approved source.
  - (ii) Confirm that the NMI is a valid NMI for the connection point prior to Initiation.
  - (iii) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Participant ID	Proposed Change Date	

- (b) Nominate itself as the new ROLR.
- (c) The New ROLR may, for Retrospective Changes, populate the Change Request with the following information:

#### 8.6.5. Timeframe Rules

The Timeframe Rules are specified in Table 8-P.

#### Table 8-P-Timeframe Rules

CR 6500 – Change ROLR

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

### CR 6501 – Change ROLR - Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	130	0



# 8.6.6. Objection Rules

Objections are not permitted.

# 8.6.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in <u>Table 8-QTable 8-Q</u>.

# Table 8-Q – Change Request Status Notification Rules\*\*

CR 6500 – Change ROLR

CR 6501 – Change ROLR - Retrospective

Status	FRM	Р	LR		LNSF	)	MDP		МРВ		RoLR		NSP2	2	RP	
Change	N	С	N	С	N	С	N	С	N	С	N	С	N	С	Ν	С
CANCELLED	-	-	-	-	-	-	-	-	-	-	Yes	Yes	-	-	-	-
COMPLETED		Yes	-	Yes	-	Yes	-	Yes	-	Yes	Yes	Yes	-	Yes	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	Yes	Yes	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	Yes	Yes	-	-	-	-
REJECTED	-	-	-	-	-	-	-	-	-	-	Yes	Yes	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	Yes	Yes	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 8.7. Change MPB OR MPC or Both

### 8.7.1. Application [6700 6701]

Change Reason Code	Comment
6700 – Change MPB or MPC or both	Used where the Current MC is required to apply a Prospective Change to the Current MPB or MPC or both.
6701 – Change MP – Retrospective	Used where the Current MC is required to apply a Retrospective Change to the Current MPB or MPC or both.

#### 8.7.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR or SAMPLE.

#### 8.7.3. Initiating Roles

A Current MC may Initiate a Change Request to change an MPB or MPC or both in accordance with section 8.7.4.

### 8.7.4. MC Requirements

- (a) The Current MC must:
  - (i) Obtain the NMI Checksum from an approved source.
  - (ii) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to Initiation.
  - (iii) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

(b) Populate the Change Request with at least one of the following information:

MPB	MPC	
IVII D	IVII C	

(c) The Current MC may, for Retrospective Changes, populate the Change Request with the following information:

Actual End Date	

#### 8.7.5. MDP Requirements

On receipt of a Data Request for CR 6700, the MDP must Initiate a Change Request to provide the Actual Change Date.

### 8.7.6. Timeframe Rules

The Timeframe Rules are specified in Table 8-R.



#### Table 8-R - Timeframe Rules

CR 6700 – Change MP

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65

CR 6701 – Change MP – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	130	0

# 8.7.7. Objection Rules

The 'Yes' Roles specified in Table 8-S may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 8-R.

# Table 8-S – Objection Rules\*\*

CR 6700 – Change MP

CR 6701 – Change MP – Retrospective

Objection	NMI Jur'n												Jur'n	FRM	IP	LR		MDF	)	MPB		ROL	R	RP		LNS	Р
Code	Class		Ν	С	Ν	С	Ν	С	N	С	N	С	N	С	Ν	С											
DECLINED	ALL	ALL	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-											
NOTAPRD	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes											

<sup>\*\*</sup> N = New Role, C = Current Role.

### 8.7.8. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in <u>Table 8-T</u>Table 8-T.

# Table 8-T – Change Request Status Notification Rules\*\*

CR 6700 - Change MP

CR 6701 – Change MP – Retrospective

Status	FRM	Р	LR LNSP MDP MPB		MPB RoLR			NSP2		RP						
Change	N	С	N	С	N	С	N	С	N	С	Ν	С	N	С	Ν	С
CANCELLED	-	-	-	-	-	Yes	-	-	Yes	Yes	-	-	-	-	-	Yes
COMPLETED	-	Yes	-	-	-	Yes	-	Yes	Yes	Yes	-	-	-	Yes	-	Yes
OBJECTED	-	-	-	-	-	Yes	-	-	Yes	Yes	-	-	-	-	-	Yes
PENDING	-	-	-	-	-	-	-	-	Yes	Yes	-	-	-	-	-	Yes
REJECTED	-	-	-	-	-	Yes	-	-	Yes	Yes	-	-	-	-	-	Yes
REQUESTED	-	-	-	-	-	Yes	-	-	Yes	Yes	-	-	-	-	-	Yes

<sup>\*\*</sup> N = New Role, C = Current Role.



# 9. AEMO ONLY CHANGE REQUESTS

# 9.1. AEMO-Initiated Standing Data Updates

# 9.1.1. Application [5100 5101]

Change Reason Code	Comment
5100 – Correct NMI Master Data (AEMO only)	Used where AEMO identifies a requirement for an urgent Prospective Change (i.e., in less time than it would take to change that data item, because of the allowance for an Objection Logging Period) to MSATS data about a <i>connection point</i> or where several data items that normally can't be changed in the same transaction must be changed at the same time.
5101 – Correct NMI Master Data – Retrospective (AEMO only)	Used where AEMO identifies a requirement for an urgent Retrospective Change (i.e., in less time than it would take to change that data item, because of the allowance for an Objection Logging Period) to MSATS data about a <i>connection point</i> or where several data items that normally can't be changed in the same transaction must be changed at the same time

#### 9.1.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is WHOLESAL, INTERCON, GENERATR, EPROFILE or SAMPLE.

### 9.1.3. Initiating Roles

AEMO may Initiate a Change Request to create a NMI record in accordance with section 9.1.4.

### 9.1.4. AEMO Requirements

- (a) AEMO must:
  - (i) Obtain the NMI Checksum from an approved source.
  - (ii) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to Initiation.
  - (iii) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Participant ID	Proposed Change Date	

#### (b) AEMO may:

(i) Populate the Change Request with values for the following address fields (as applicable):

TNI Code	DLF Code	Jurisdiction Code
NMI Status Code	NMI Classification Code	FRMP
LNSP	LR	RP
MPB	MDP	MPC
ROLR	Locality	State
Postcode	Building Name	Flat Type
DPID	Flat Number	House Number
Floor Number	Floor Type	Lot Number
House Number Suffix	Location Descriptor	Street Type



Street Name	Street Suffix	<del>Unstructured Address 3</del>
Unstructured Address 1	Unstructured Address 2	Aggregate Flag
Child Name	Parent Name	Connection Configuration
Shared Isolation Point Flag	TNI Code 2	GNAF PID
<u>House Number To</u>	Section Number	<u>DP Number</u>
Meter Malfunction Exemption Number	Meter Malfunction Exemption Expiry Date	

(ii) Populate the Change Request with the following information for each Datastream:

NMI Suffix (at least one)	Datastream Type (for each suffix)	ADL (for each suffix)
Datastream Status Code (for each suffix)	Profile Name (for each suffix)	

(iii) Populate the Change Request with the following information for each *meter*:

Meter Serial ID (at least one)	Metering Installation Type Code	Meter Register Status Code
Additional Site Information	Next Scheduled Read Date	Meter Location
Meter Constant	Meter Hazard	Meter Point
Meter Route	Meter Use	Meter Manufacturer
Meter Model	Meter Program	Meter Read Type
Transformer Location	Transformer Type	Transformer Ratio
Measurement Type	Last Test Date	Next Test Date
Test Result Accuracy Test Result	Test Result Notes	Test Performed By
Remote Phone Number	Communication Equipment Type	Communication Protocol
Data Conversion Arrangements	Validation Arrangements	Estimation Instructions
Asset Management Plan Details	Calibration Tables (details of any calibration factors programmed into the meter)	Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)
Test and Calibration Program Details	User Access Rights Details (i.e. details of any End Use access to the metering installation such as pulse outputs)	Current Transformer Location
<u>Current Transformer Type</u>	<u>Current Transformer Ratio</u>	Current Transformer Accuracy Class
Current Transformer Test	Current Transformer Sample Family ID	<u>Current Transformer Test Date</u>
Voltage Transformer Location	Voltage Transformer Type	Voltage Transformer Ratio
Voltage Transformer Accuracy Class	Voltage Transformer Test	Voltage Transformer Sample Family ID
GPS Coordinates - Latitude	GPS Coordinates - Longitude	

(iv) Populate the Change Request with the following information for each register:

Register ID (at least one for each	Register Identifier Status Code	Network Tariff Code (for each
meter)	(for each register)	register)



Actual/Cumulative Indicator (for each register)	Controlled Load Indicator (for each register)	Network Tariff Code Additional Information
MDM Contributory Suffix (this can also be supplied by the MDP)	Demand Value 1, if the Network Tariff includes a demand component	Demand Value 2, if the Network Tariff includes a second demand component
Time of Day Code (for each register)	Dial Format (for each register)	Multiplier Value (for each register)
Unit of Measure Code (for each register)		

(v) For Retrospective Changes, populate the Change Request with the:

A at all Faul Data		
Actual End Date		

#### 9.1.5. Timeframe Rules

The Timeframe Rules are specified in Table 9-A.

#### Table 9-A – Timeframe Rules

CR 5100 - Correct NMI Master Data (AEMO only)

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 5101 - Correct NMI Master Data - Retrospective (AEMO only)

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	150	0

# 9.1.6. Objection Rules

Objections are not permitted.

# 9.1.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 9-B.

# Table 9-B – Change Request Status Notification Rules\*\*

CR 5100 – Correct NMI Master Data (AEMO only)

CR 5101 – Correct NMI Master Data – Retrospective (AEMO only)

Status	FRMP	•	LR		LNSF	)	MDP	•	МРВ		RoLF	1	NSP2	2	RP	
Change	Ν	С	Ν	С	N	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С
CANCELLED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLETED	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-	Yes	Yes	Yes	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 9.2. CHANGE ROLE, TNI OR DLF – Bulk Change Tool (BCT)

### 9.2.1. Introduction

- (c) This is a special transaction that can only be undertaken by AEMO in limited circumstances, such as when a RoLR Event occurs as it is designed to manage bulk changes of Participant IDs, TNI Codes or DLF Codes.
- (a) This sectionError! Reference source not found. covers changes to the following CATS Standing Data items:
  - (i) LNSP
  - (ii) LR
  - (iii) FRMP
  - (iv) MDP
  - (v) MPB
  - (vi) MPC
  - (vii) RP
  - (viii) ROLR
  - (ix) TNI Code
  - (x) DLF Code
- (b) Access rights to the BCT on-line function in MSATS is restricted and will only be available to a person nominated by AEMO.
- (c) When activated by AEMO, the BCT function will use a unique Change Request Code to update the data specified in the Change Request.
- (d) Upon advice from a Jurisdiction or a Regulator (as applicable) of a ROLR Event, AEMO will utilise the BCT to manage the associated Role changes.
- (e) When the BCT is used, active Change Requests may be Cancelled.
- (f) The BCT ROLR function will change the identity of the Current FRMP in the NMI Master Record to the Participant ID of the Participant that the relevant Jurisdiction or Regulator has nominated to undertake the ROLR function.
- (g) Where necessary, the BCT ROLR function will change the identity of the Parent LR on the Child NMIs provided they have been set up correctly in MSATS.
- (h) Notification of a change to the NMI Master Record will occur in accordance with section 9.2.8.
- (i) Responsibilities for requesting and authorising use of the BCT will be as per <u>Table 9-CTable 9-C</u>.

#### Table 9-C – Request/Authorise/Implementation Scenarios

Scenario	Request	Authorise
Mergers & Acquisitions	Participants	AEMO
TNI & DLF code updates	Participants	AEMO
ROLR Events	Jurisdictions/Regulators	AEMO



Scenario	Request	Authorise
Any Other Scenario	Jurisdictions/Participants	AEMO

#### 9.2.2. Conditions Precedent

- (a) All events:
  - (i) The *NMI* exists in MSATS.
  - (ii) There are NO Objections for the BCT process.
  - (iii) The Effective Date of the BCT Change Requests shall always be retrospective.
  - (iv) The NMI can be any NMI Classification Code.
  - (v) AEMO has agreement on requirements and details from all impacted Participants.
  - (vi) The use of the BCT functionality is not dependent on the provision of any Meter Readings into MSATS.
- (b) ROLR Event:
  - (i) A decision on the registration status of a Current FRMP will be required from AEMO's Board or an authorised person from a Jurisdiction (as applicable) before AEMO can invoke the ROLR function.
- (c) Mergers & Acquisitions:
  - (i) The Participant IDs and Jurisdictional licences involved in the BCT process must be associated with the same ABN.

#### 9.2.3. Requesting Participant Requirements

The requesting Participant must:

- (a) Provide at least one data item (data field) for change.
- (b) Specify the Start and End Date (if required) for the BCT process.
- (c) Ensure that all changing data items are active for the whole of the time period specified for the BCT.
- (d) Ensure all impacted Participants are consulted and have provided approval for change to AEMO.
- (e) Specify the notifications to be sent out for the BCT process.
- (f) Specify the action required to be taken when a conflicting Change Request is found for the NMI's in the BCT process.
- (g) Provide the selection criteria for *NMIs* to be included in the BCT from the following fields:

LNSP	LR	FRMP
MDP	MPB	MPC
RP	ROLR	TNI Code
DLF Code	Post Code	Aggregate Flag
NMI Status Code	NMI Classification Code	Jurisdiction Code
Embedded Network Parent Code (Embedded network ID or "if null" or "if not null")	Embedded Network Child Code (Embedded network ID or "if null" or "if not null")	The Tier Status (not required if both the LR and FRMP are provided as selection criteria)



NMI Limit (Maximum number of	Previous Bulk Change run	TNI Code 2
NMIs to be processed in the run)	Identifier (i.e. Change all NMIs in	
	a previous BCT event)	

### (h) Nominate at least one of the following information for change via the BCT:

LNSP	LR	FRMP
MDP <sup>(1)</sup>	MPB <sup>(1)</sup>	MPC <sup>(1)</sup>
RP	ROLR	TNI Code
DLF Code	TNI Code 2	

Note(1): The requesting Participant must be the RP to nominate the MDP, MPB and MPC Roles.

The requesting Participant may further specify a list of *NMIs* to be used as part of the selection criterion.

### 9.2.4. Impacted Participant Requirements

The impacted Participant must:

- (a) Provide AEMO acceptance or rejection of the criteria set by the initiating Participant for use with the BCT (other than a ROLR event).
- (b) Where rejecting the criteria set by the initiating Participant for use with the BCT, provide AEMO reasonable justification for the rejection.

### 9.2.5. MDP Requirements

The MDP must update the activity status of any affected Datastreams via normal Change Request processes.

### 9.2.6. Timeframe Rules

- (a) Change Requests initiated via the BCT can only be Retrospective.
- (b) All Retrospective Days shall apply as per the appropriate Change Reason Code that would normally have applied.

#### 9.2.7. Objection Rules

Objections are not permitted.

#### 9.2.8. Change Request Status Notification Rules

The Change Request Status Notification Rules for BCT processes are configurable to suit the changes being made. In each case these will need to be specified by the requesting party



### 10. AUTO CHANGE ROLE - CHANGE REQUESTS

# 10.1. Change Local Retailer Embedded Network Child

### 10.1.1. Application [ECLR]

Change Reason Code	Comment
ECLR – Change of Local Retailer	This is an automatic process triggered by MSATS whenever the FRMP is
- Embed Net Child (Auto)	changed on a Parent NMI. Once the Parent NMI is transferred, MSATS changes
	the LR for each of the Child NMIs in the embedded network.
	This is effected at the same time as the FRMP Parent NMI changing.

# 10.1.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) There has been a change of FRMP of a Parent NMI to an embedded network;
- (c) The affected *NMIs* are Child NMIs to this *embedded network* (as registered in MSATS).

#### 10.1.3. Timeframe Rules

The Timeframe Rules are specified in Table 10-A.

#### Table 10-A - Timeframe Rules

CR ECLR – Change of Local Retailer – Child (Auto)

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	130	0

#### 10.1.4. Objection Rules

Objections are not permitted.

### 10.1.5. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 10-B.

### Table 10-B - Change Request Status Notification Rules\*\*

CR ECLR – Change of Local Retailer – Child (Auto)

PARTICIPANT ROLE – Receives Notification of Change

Status Change	FRMP		LR		LNSP		MDP		МРВ		RoLR		RP	
	Ν	С	N	С	Ν	С	Ν	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	Yes	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 10.2. Change Secondary FRMP Embedded Network Parent

### 10.2.1. Application [EPFR]

Change Reason Code	Comment
EPFR – Change of FRMP - Embedded Network Parent (Auto)	This is an automatic process triggered by MSATS whenever the FRMP is changed on a Parent NMI. Once the Parent NMI is transferred, MSATS changes the FRMP on any other NMIs with the same parent identifier in the <i>embedded network</i> . This occurs where <i>embedded networks</i> have dual NMIs supplying them.
- Embedded Network	Parent NMI. Once the Parent NMI is transferred, MSATS changes the FRMP on any other NMIs with the same parent identifier in the <i>embedded network</i> . This occurs

#### 10.2.2. Conditions Precedent

The NMI exists in MSATS.

- (a) There are additional Parent NMIs with the same parent identifier for this embedded network;
- (b) There has been a change of FRMP of a Parent NMI to an embedded network;
- (c) The affected *NMIs* are Parent to this *embedded network*.

# 10.2.3. Timeframe Rules

The Timeframe Rules are specified in Table 10-C.

#### Table 10-C - Timeframe Rules

CR EPFR – Change of FRMP – Parent (Auto)

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)		
0	0	130	0		

# 10.2.4. Objection Rules

Objections are not permitted.

# 10.2.5. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 10-D.

### Table 10-D - Change Request Status Notification Rules\*\*

CR EPFR – Change of FRMP – Parent (Auto)

PARTICIPANT ROLE – Receives Notification of Change

Status	FRMP		LR		LNSP		MDP		МРВ		RoLR		RP	
Change	N	С	Ν	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLETED	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.