



Choose certainty.
Add value.

Technical Report No. 611401907401

Rev. 00

Dated 2019-07-03

Client: Orangetek International Pty Ltd
46 Stanley Street, Peakhurst, NSW 2210, Australia

Test subject: Product: IGNIS MINI LED Street Light
Type: IGNIS MINI 020 LED 18W

Test specification:

1. Test item:
 - Clause 8 of IEC 62384 (Edition 1.1): Total circuit power
 - Clause 9 of IEC 62384 (Edition 1.1): Circuit power factor
2. Test conditions:
 - (1) Power input: 240 Vac, 50 Hz
 - (2) Warm-up time: > 120 minutes
 - (3) Stabilization time: 30 minutes
 - (4) Control gear: PHILIPS / Xi SR 22W 0.3-1.0A SNEMP 230V C133 sXt
 - (5) Control gear spec.: I/P: 220-240 Vac, 50/60 Hz, 28 W, PF:0.95
O/P: 8-32 Vdc, 300-1050 mA, 22 W
 - (6) Dimension of product: 529 mm (L) x 147 mm (W) x 120 mm (H)

Purpose of examination:

- Test according to the test specification

Test result: The test results show that the presented product is in compliance with the specified requirements.

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.



1 Description of the test subject

1.1 Function

LED street light.

1.2 Consideration of the foreseeable misuse

- ☒ Not applicable
- ☐ Covered through the applied test specification
- ☐ Covered by the following comment
- ☐ Covered by attached risk analysis

1.3 Technical Data

Model	: IGNIS MINI 020 LED 18W
Rated Voltage	: 220-240 Vac
Rated Frequency	: 50/60 Hz
Rated Power	: 18 W
Protection Class	: Class I
Nominal dimension	: 529 mm (L) x 147 mm (W) x 120 mm (H)
Sample size	: 10 pcs

2 Order

2.1 Date of Purchase Order, Customer's Reference

2019-06-10

2.2 Receipt of Test Sample, Location

2019-06-21, TÜV SÜD Asia Ltd. Taiwan Branch

2.3 Date of Testing

2019-06-24 to 2019-06-28



2.4 Location of Testing

TÜV SÜD Asia Ltd. Taiwan Branch
7F., No. 37, Sec. 2, Zhongyang S., Rd., Beitou District, Taipei City, 11270, Taiwan

2.5 Points of Non-compliance or Exceptions of the Test Procedure

None

3 Test Results

See appended table of test results.

4 Remark

4.1 Remarks to Factory

Not applicable.

5. Documentation


- Photo – see Appendix.

6. Summary

The test specification is met.

TÜV SÜD Asia Ltd. Taiwan Branch
TÜV SÜD Group

Engineer:



Alin Hung
Project Engineer

Technical Report checked:



Alan Yuan
Designated Reviewer




Appended Table – Test Results


Sample #	Input voltage (Vac)	Input current (A)	Total circuit power (W)	Power factor	Remark
1	240.03	0.077	17.860	0.966	stabilization
2	240.04	0.077	17.864	0.963	stabilization
3	240.04	0.077	17.852	0.960	stabilization
4	240.05	0.077	17.947	0.974	stabilization
5	240.03	0.077	17.806	0.964	stabilization
6	240.05	0.077	17.857	0.963	stabilization
7	240.05	0.077	17.885	0.963	stabilization
8	240.03	0.077	17.828	0.962	stabilization
9	240.05	0.077	17.919	0.964	stabilization
10	240.05	0.077	17.820	0.961	stabilization
Avg.	240.04	0.077	17.864	0.964	--

Appendix – Photo

Tested Model




Tested Model



A photograph of an OrangeTek 1000mAh battery pack. The battery is white and rectangular, with a black plastic cover on the right side. The brand name 'OrangeTek' is printed in orange on the white surface. A ruler is placed below the battery to provide a sense of scale.

[illegible]

Tested Model



Set-up of test

