

# 5MS B2M PACKAGE CHANGES

## PROCEDURE CONSULTATION

## DRAFT DETERMINATION PARTICIPANT RESPONSE TEMPLATE

***Participant:*** AGL

***Submission Date:*** 1 April 2021

# Table of Contents

- 1. Context ..... 3
- 2. MSATS Procedures: CATS ..... 3
- 3. MSATS Procedures: WIGS..... 4
- 4. Meter Data File Format Specification..... 4
- 5. MSATS Procedure: MDM Procedure ..... 5
- 6. Metrology Procedure: Part B..... 5
- 7. Other Issues Related to Consultation Subject Matter..... 6

## 1. Context

This template is to assist stakeholders in giving feedback about the changes detailed in the initial draft procedures associated with the 5MS B2M Package Changes consultation.

The changes being proposed are because of NER rule changes which have occurred requiring changes to AEMO’s Retail Electricity Market Procedures and the following proposed changes by proponents and AEMO to implement recommended process improvements.

## 2. MSATS Procedures: CATS

Section	Description	Participant Comments
7.1.4(b)	Updated to include a new field “Proposed Change Date”	AGL supports the transaction
7.1.4(c)	Added a new requirement clause for the initiating FRMP, and an additional note to further clarify the clause.	AGL supports the additional note associated with the change request drafting.
7.1.7 Table 7-B	Updated table to include notification for the new RP on COMPLETED status of the CR 1060	AGL supports the change
7.1.7 Table 7-C	Updated table to include notification for the new RP on COMPLETED status of the CR 1061	AGL supports the change

### 3. MSATS Procedures: WIGS

Section	Description	Participant Comments
Version	Updated to align version numbering with MSATS: CATS procedures	AGL supports the change

### 4. Meter Data File Format Specification

Section	Description	Participant Comments
3.3.1(b)	Updated sub clause (b) to include a fix for ICF_025 Removal of 'N' Metering Data Quality Flag	AGL supports the change

## 5. MSATS Procedure: MDM Procedure

Section	Description	Participant Comments
3.2.3(b)	Added new sub clause (b) to add energy for all Cross Boundary inflows to the NSLP calculation	AGL supports the change
9.2	Fixed spelling error by Adding missing 'A' from the word Actual in the report title	AGL supports the change
9.13	Added the text 'The report will be pushed to MDPs' to MDM RM39 report description to make it consistent with MDM RM37 and MDM RM38 reports.	AGL supports the change

## 6. Metrology Procedure: Part B

Section	Description	Participant Comments
11.3.3(c)	Updated details of Weighting Factor equation	AGL supports the change
11.4(b)	Updated NSLP equation	AGL supports the change

## 7. Other Issues Related to Consultation Subject Matter

Heading	Participant Comments
<p>Are there better options to accommodate the change proposals which better achieve the required objectives? What are the pros and cons of these options? How would they be implemented?</p>	<p>AGL has no further comments</p>
<p>What are the main challenges in adopting these proposed changes? How should these challenges be addressed?</p>	<p>The new transaction required for faster Transfer will have to be built and tested during a period of intense system development for 5ms/global.</p> <p>The requirement to develop these changes coincidentally places unnecessary stress on AGL and industry system development.</p> <p>As the AEMO Regulatory roadmap is a good start, but only covers AEMC Industry changes and does not cover other regulatory changes (eg Distribution Code, retailer billing etc)&gt;</p> <p>However, the Roadmap is a framework which should form a part of the ongoing dialogue at all levels, and gaps need to be allowed for participant driven efficiency changes, specific regulator and jurisdictional changes which impact networks and retailers (eg like changes expected to arise from the AER billing Guidelines, Victorian ESC changes, etc).</p>