**B2B** Procedures

- Service Order (procedure changes)
- One Way Notification (procedure changes)
- Technical Delivery Specification (procedure changes)
- B2B Guide (document changes)
- Customer and Site Details (version change)
- Meter Data (version change)

# CONSULTATION – Second Stage

## CONSULTATION PARTICIPANT RESPONSE TEMPLATE

Participant: Endeavour Energy

**Completion Date**: 01/06/2022

#### **Table of Contents**

| 1. | Service Order Process        | 3 |
|----|------------------------------|---|
| 2. | One Way Notification Process | 4 |

#### 1. Service Order Process

| Old Clause No | New Clause No | Comments  |
|---------------|---------------|---|
|               | 2.3.1         | For better clarity, and to avoid confusion, we suggest that subclause a and b be combined.  |
|               |               | We suggest that clause 2.3.1.a be deleted and clause 2.3.1.b be updated to:   |
|               |               | The Initiator of a Re-energisation or De-energisation Service Order for metering installation types 1 to 4 must raise a Notified Party transaction so that: |
|               |               | (i) The DNSP is notified when the Initiator is requesting a Re-energisation or De-energisation service from the MPB.  |
|               |               | (ii) The current MPB is notified when the Initiator is requesting a Re-energisation or De-energisation service from the DNSP.                               |

### 2. One Way Notification Process

| Old Clause No | New Clause No | Comments   |
|---------------|---------------|--|
|               | 4.2.6.a       | For consistency, and to avoid any confusion, we suggest that the term 'shared fuse arrangement' be used as opposed to 'shared fuse status'.  |
|               |               | We suggest the third sentence in clause 4.2.6.a be updated to:   |
|               |               | The key information provided will include the date that the shared fuse arrangement was determined and a value indicating the shared fuse arrangement for the connection point (identified by the NMI) |